


Physics 113 - Fall 2013 - workshop module 8


Rotational motion

1. Calculate the moment of inertia of a thin round rod of length L and mass M and uniform density rotating about an axis through its center perpendicular to its long dimension. Do the same for rotation about an axis through one of the ends (perpendicular to the length again). Does this confirm the parallel axis theorem?
2. In tightening cylinder-head bolts in an automobile engine, the critical quantity is the torque applied to the bolts. THAT's why mechanics use devices called "torque wrenches". Why is this more important than the actual force applied to the wrench handle?
3. Below is a figure that shows three identical yo-yos initially at rest on a horizontal surface. For each yo-yo the string is pulled in the direction shown. In each case there is sufficient friction for the yo-yo to roll without slipping. Split into three groups. Each group should draw the free-body diagram for one of the yo-yo's and convince themselves and the other two groups that they know the direction the chosen yo-yo will rotate. Your workshop leader might have a yo-yo for you to play with as you think through this.



4. Consider a yo-yo with its string wound up, ready for action. Suppose that we know nothing about this yo-yo except that it has the shape of a thin cylinder, with the string wrapped around the outside of the cylinder. (This is a less complex shape than a regular yo-yo.) If you release the yo-yo from rest, the string will unwind and it will accelerate downward, but at what rate?
 - Make a free-body diagram and choose a convenient coordinate system for the yo-yo as it falls.
 - Apply Newton's 2nd Law ($\Sigma F = ma$) to your FBD. Assuming that the yo-yo's mass and radius are known quantities, can you determine the acceleration of the yo-yo in terms of known quantities from this equation? Why or why not?
 - Now choose a rotational coordinate system and apply the torque equation $\Sigma \tau = I\alpha$ to the yo-yo (the moment of inertia of a disk rotating about an axis through its center is $\frac{1}{2}MR^2$).
 - What is the relationship between α (the angular acceleration of the yo-yo) and a (the linear acceleration of the yo-yo)?

- Using the results of (b), (c) and (d), determine the acceleration of the yo-yo. Does the answer depend on the mass or radius of the yo-yo? What *does* it depend on?
- What is the tension in the string as the yo-yo falls? Give your answer as some fraction or multiple of the weight of the yo-yo.



5. A block with mass $m=5.00$ kg slides down a surface inclined 36.9 degrees to the horizontal (see the figure below). The coefficient of kinetic friction is 0.25 . A string attached to the block is wrapped around a flywheel on a fixed axis through its center. The flywheel has mass 20.0 kg, radius $R=0.200$ m, and a moment of inertia with respect to the axis 0.400 kg-m². a) What is the acceleration of the block down the plane? b) What is the tension in the string?

