

Project Summary

The ultimate goal of particle physics is to identify the fundamental principles that govern the properties of matter, energy, space and time. The Standard Model (SM) of particle physics provides a thoroughly tested framework for describing matter particles (quarks and leptons) together with the mediators of the strong and electroweak interactions (gluon, photon, W and Z bosons). Nevertheless, an accumulating body of evidence suggests that the SM is not complete, and that it is merely the low-energy limit of a more fundamental theory.

In 2007, the Large Hadron Collider (LHC) at CERN will begin operation. With its unprecedented energy and luminosity, the LHC promises to revolutionize particle physics. It will unveil the mechanism of electroweak symmetry breaking and shed light on the physical processes that are responsible for the origin of mass. It holds the potential to make dark matter in the laboratory, and perhaps even to reveal extra dimensions of space.

Accurate theoretical predictions are needed for the LHC to realize its full potential. Many of the most important discovery signatures are quite complex. The lowest-order predictions for such processes exhibit significant uncertainties that can only be reduced by including higher orders in perturbation theory. It is important to pin down these signatures and develop robust strategies to make the most of the new discoveries.

The **intellectual merit** of the activities proposed here is to provide calculational tools and theoretical results necessary to fully exploit the physics potential of the LHC. Proposed activities include the calculation of higher-order QCD and electroweak corrections in the SM, thorough investigation of LHC signals in beyond-the-SM models, as well as the development of new, improved, shower algorithms. The activities also include the development of reliable and well-tested Monte Carlo tools that are necessary to confront theory with experiment.

The **broader impact** of the proposed activities is to facilitate the development in the United States of a world-class program in LHC-related theory. To stimulate research in this area, a set of nationwide postdoctoral and graduate student Fellowships is being proposed. The proposed LHC Fellows will form the nucleus of a vital US LHC theory community over the projected twenty-year lifetime of the LHC. Each year, two meetings will be held to stimulate collaborative research and develop personal links between the Fellows, their sponsors, and the LHC experimental collaborations. The continuity of these links will be insured through the use of regularly-scheduled video conferences.

The proposed activities will be pursued within the framework of the LHC Theory Initiative (LHC-TI), a nationwide community effort to promote LHC-related theoretical research involving phenomenologists and model builders. The tools developed will be made publicly available and will help the experimental high-energy physics community in its data analysis. Scientific results will be published in peer-reviewed journals and via the World Wide Web. The results will also be presented at national and international conferences. The meetings of the Fellows will be open to the US particle theory community, and will provide a backbone for a nationwide collaborative theory network, making it possible for physicists from isolated groups and smaller institutions to participate and focus their efforts on projects that are directly relevant to the LHC.

The LHC Fellows will be chosen in a nationwide competition on the basis of merit, with an eye to expanding the representation of women and under-represented minorities in the field.

Project Description

1 Introduction and Motivation

In 2007, the CERN Large Hadron Collider (LHC) will begin operation. The LHC will collide protons at a center-of-mass energy of $\sqrt{s} = 14$ TeV with a nominal luminosity of $\mathcal{L} = 10^{34} \text{ cm}^{-2} \text{ s}^{-1}$. This represents an increase of a factor of seven in energy and a factor of 100 in luminosity over the Fermilab Tevatron.

With its unprecedented energy and luminosity, the LHC promises to revolutionize particle physics. It will unveil the mechanism of electroweak symmetry breaking (EWSB) and shed light on the physical processes that are responsible for the origin of mass. The LHC holds the potential to make dark matter in the laboratory and perhaps even to reveal extra dimensions of space. Its reach for uncovering new phenomena is dramatically higher than that of all previous accelerators. The LHC truly will be a discovery machine.

In modern experiments, close collaboration between theorists and experimenters is essential for interpreting the data. This was certainly the case for the high-precision Z pole experiments at LEP and SLC during the 1990's [1]. These experiments demonstrated that the Standard Model (SM) is correct, even at the loop level. Beyond that, they successfully predicted the top quark mass, and today they point to a light elementary Higgs. None of these results could have been obtained from the data without major input from theory.

To unravel the mechanism of EWSB and discover new physics, it is necessary to have accurate theoretical calculations of SM processes and new physics signatures. The final states of many processes are quite complex at the LHC. The lowest-order (LO) predictions for such processes in the SM exhibit a significant dependence on the unphysical renormalization and factorization scales that can be traced to the truncation of the perturbation series. The dependence on these parameters can be reduced by calculating observables to higher order in perturbation theory. For accurate SM predictions, it is necessary to calculate higher-order QCD and, in some cases, electroweak (EW) radiative corrections. For new physics scenarios, it is also important to devise unique signatures to characterize the models.

Calculating higher-order corrections and devising robust signals is necessary but not sufficient for discovering new phenomena at the LHC. In order to arrive at realistic predictions that can be used by the experimental community, matrix-element based theoretical calculations must be integrated into Monte Carlo (MC) event generators – a process which, especially at higher order in perturbation theory, is not yet well understood.

While there has been much progress during the last few years towards more precise calculations of SM processes, along with a better understanding of new physics signatures, much work remains to be done (see Secs. 2 and 3). The work can be accomplished in a timely fashion with a modest increase in the number of postdocs and graduate students in the US working on LHC-related theory. We believe that an additional 4 postdocs and 6 graduate students per year over a five-year period would be a major step towards optimizing the physics return of the LHC.

To stimulate more LHC-related theory research, we propose to establish graduate student and postdoctoral LHC Fellowships, which we describe in some detail in Sec. 4. These Fellowships will cost approximately \$873k per year, a significant but important investment in the LHC, in light of the high expectations of the physics community and the general public.

2 Precision Calculations of Standard Model Cross Sections

The LHC is scheduled to begin operation in 2007, with the first physics run taking place in 2008. While we cannot anticipate what new physics will be discovered, we do know that plenty of SM processes will be observed. In many cases, they offer the potential for important measurements. In others, the SM processes provide backgrounds to signals of new physics. A productive physics program at the LHC will require a detailed understanding of SM processes in general, and of QCD, in particular.

To obtain reliable predictions for SM processes at the LHC, (NLO) QCD corrections must be calculated. Higher-order QCD corrections reduce the dependence on the unphysical factorization and renormalization scales. In some cases, such as W and Z production [2], the effect is dramatic. Controlling EW radiative corrections [3–6] and obtaining precise knowledge of the parton distribution functions (PDFs) are also essential (see Sec. 2.1).

Processes for which the NLO QCD corrections will be needed include those that are relevant to top quark [7–12], Higgs boson [11, 13–17] and supersymmetry (SUSY) studies [18–20] (see Sec. 2.2). However, calculating higher-order corrections is not sufficient. To arrive at realistic predictions, the theoretical calculations need to be integrated into MC event generators. At higher orders, this remains a difficult task (see Sec. 2.4).

In the remainder of this section we describe some of the SM physics projects that the LHC Theory Initiative believes are important to pursue. The priority of a project is determined by the integrated luminosity needed for the process to become relevant (see Sec. 2.5). More details on the calculations described here can be found in the LHC-TI whitepaper [21]. The list presented here is meant to be illustrative – not exhaustive.

2.1 Parton Distribution Functions and NNLO QCD Corrections

Parton Distribution Functions (PDFs) are essential for nearly every measurement planned for the LHC. While NLO accuracy was sufficient at the Tevatron, NNLO precision will be needed to reach the LHC goals. The NNLO evolution kernels [22–25] are currently being incorporated into the various evolution programs. Additional work is still needed to integrate these programs and standardize the interface to the NNLO PDF evolution routines. Furthermore, the NNLO kernels must be matched with NNLO calculations. The necessary NNLO ingredients are available for the DIS structure functions [24–26] and the Drell-Yan process [27]. However, for the other sub-processes used in the global analysis, significant challenges remain.

Specifically, work is needed on jet, direct photon, and heavy quark production. For many of these sub-processes, the NNLO matrix elements have been computed [28, 29]; however, they need to be combined with the real emission diagrams, properly taking into account soft and collinear subtractions. This is a non-trivial task that has not yet been accomplished. There are several promising techniques [30–32] that can be pursued.

There are other PDF related issues that need to be investigated:

Generalized PDFs. Predicting transverse momentum (k_T) distributions is a particularly difficult problem. This has stimulated interest in PDFs that account for initial-state radiation through k_T -dependent parton distributions [33–36] (so-called un-integrated PDFs). While such PDFs may provide an improved reorganization of the perturbation expansion, there are unresolved theoretical issues, such as the universality of k_T -dependent PDFs.

Gluon Distribution. The gluon PDF has larger uncertainties than the corresponding quark distribution functions. Tevatron jet production data play a crucial role in constraining the gluon PDFs, particularly in the large x region. Since accurate knowledge of the gluon PDF is required for Higgs and top-quark production channels, this is an important issue to resolve.

Heavy Quark PDFs. None of the data in the global PDF analyses directly measures the strange, charm and bottom quark distributions. This problem can be mitigated using recent CCFR and NuTeV $\nu s \rightarrow c\mu \rightarrow \mu^\pm \mu^\mp X$ data, as well as new Tevatron data on $\gamma/W/Z$ production in association with c - and b -quarks [37].

PDF Uncertainties and Validity of the DGLAP Picture. The release of PDFs with uncertainties [38,39] represents a significant advance in performing quantitative estimates for the errors associated with a particular observable. However, the treatment of PDF uncertainties needs to be improved. For the LHC, one also has to ask about limitations of the DGLAP picture, and whether an alternative framework (see eg. Refs. [40,41]) is needed in part of the LHC phase space.

2.2 Standard Model Predictions

There are a host of SM processes for which more accurate predictions are needed at the LHC:

Full NLO QCD Corrections to $pp \rightarrow t\bar{t} \rightarrow b\bar{b} + 4f$. Top quark pairs will provide both a calibration and a copious background source at the LHC. Therefore QCD corrections must be under control. Existing calculations of the NLO QCD corrections to $pp \rightarrow t\bar{t} \rightarrow b\bar{b} + 4f$ ($f = \ell, \nu, q$) do not include non-factorizable contributions [42]. Since non-resonant contributions to $t\bar{t}$ production are known to be important [43], especially when cuts are imposed, the non-factorizable QCD corrections to this process are likely also to be relevant. Thanks to recent advances [44], a calculation of the full NLO QCD corrections for $pp \rightarrow t\bar{t} \rightarrow b\bar{b} + 4f$ is feasible, but has not yet been done.

NLO QCD Corrections to $t\bar{t}V$ ($V = \gamma, Z$) Production. This process makes it possible to probe the $t\bar{t}V$ couplings. The achievable accuracy depends on the uncertainty of the SM $t\bar{t}V$ cross sections [7], which so far are known to LO only.

NLO QCD Corrections to $t\bar{t}j$ and $\mathcal{O}(\alpha^4) WWjj$ Production. These processes are the dominant backgrounds to $qq' \rightarrow qq'H \rightarrow qq'WW^{(*)}$, which is a major discovery mode for a light Higgs boson (with $10 - 30 \text{ fb}^{-1}$) [45]. The calculation of the NLO QCD corrections to these processes is very important.

Resummed QCD Corrections to $qq' \rightarrow qq'H$. To identify $H \rightarrow WW^{(*)}$ in vector boson fusion (VBF) events, one relies on $WW^{(*)} \rightarrow 2\ell + 2\nu$ decays, tagging on the two forward jets, and vetoing on a jet in the central rapidity region [45]. The central jet veto requires a detailed understanding of the jet activity in $qq' \rightarrow qq'H$ events. This is best achieved by calculating the resummed QCD corrections to $qq' \rightarrow qq'H$.

NLO QCD Corrections to $t\bar{t}b\bar{b}$ and $t\bar{t}jj$ Production. For small m_H , $pp \rightarrow t\bar{t}H$ with $H \rightarrow b\bar{b}$ may be an important Higgs discovery channel. It also allows a measurement of the top Yukawa coupling [10,12,17]. The main backgrounds, $t\bar{t}b\bar{b}$ and $t\bar{t}jj$ production, are known only to leading order. Since information on the background shape relies on theoretical calculations [12], and $pp \rightarrow t\bar{t}H \rightarrow t\bar{t}b\bar{b}$ will be observable for 30 fb^{-1} , calculations of the NLO QCD corrections for these processes are very important.

$pp \rightarrow t\bar{t}Wjj$ at LO. For m_H between 150 and 200 GeV, $pp \rightarrow t\bar{t}H(\rightarrow W^+W^-)$ promises a measurement of the top Yukawa coupling with a precision of 15 – 25% for 30 fb⁻¹ of data [9]. In this channel, $t\bar{t}Wjj$ production is the largest background. Because of its complexity, this background was only approximated in Ref. [9]. A full tree-level calculation of the $t\bar{t}Wjj$ background should be feasible with current GRID resources.

NLO QCD Corrections to HH , $t\bar{t}W$ and $WWWjj$ Production. Higgs pair production will make it possible to probe the Higgs self-coupling, λ_{HHH} . For $m_H > 140$ GeV, $pp \rightarrow HH \rightarrow \ell^\pm \ell'^\pm + 4j$ offers the best prospect [13] (see Sec. 5). To measure λ_{HHH} , the cross sections of the SM signal and the most important backgrounds, $t\bar{t}j$, $t\bar{t}W$ and $WWWjj$ production, must be known to NLO precision. The NLO QCD corrections for $gg \rightarrow HH$ are currently available in the $m_t \rightarrow \infty$ limit [46], which is not sufficient for predicting differential cross sections [13]. While computing the full NLO QCD corrections to HH and $t\bar{t}W$ production appears feasible, it requires the calculation of seven-point functions for $pp \rightarrow WWWjj$, which has never been done before.

NLO QCD Corrections to $HH \rightarrow b\bar{b}\gamma\gamma$ Background Processes. For $m_H < 140$ GeV, $HH \rightarrow b\bar{b}\gamma\gamma$ offers the best chance to probe the Higgs self-coupling [15]. The NLO QCD corrections to the main background sources for this final state, 4 jet, $\gamma + 3$ jet, $\gamma\gamma jj$, $Q\bar{Q}\gamma j$, and $Q\bar{Q}\gamma\gamma$ ($Q = b, c$) production, have yet to be calculated.

NLO QCD Corrections to SUSY Background Processes. If R-parity is conserved, the most powerful and model-independent signature for SUSY is multi-jet plus missing transverse energy production. The main backgrounds in these channels are QCD multijet events, $t\bar{t}$, $W +$ jets, and $Z(\rightarrow \bar{\nu}\nu) +$ jets production. The LO multi-jet and $W/Z + > 2j$ cross sections depend strongly on the factorization and renormalization scales. The calculation of the NLO QCD corrections to $W/Z + 3j$ production involves six-point functions and should be feasible. For $W/Z + 4j$ production one faces the same obstacles as for $pp \rightarrow WWWjj$.

EW Radiative Corrections to Drell-Yan Production. These corrections become large and negative at large di-lepton invariant masses [3, 4] because of Sudakov-like logarithms. It is necessary to resum these terms for new physics searches at the LHC.

2.3 Automatic Tools and Analytical Properties of QCD Amplitudes

Most calculations proposed in Sec. 2.2 involve one-loop QCD diagrams. To achieve the goals of this project in a timely fashion, automatic or semi-automatic tools must be used. However, there is no fully automatic program for calculating one-loop QCD corrections¹. Recently a new approach, `Samper`, has been started [50–52]. Processes calculated using this method will be included in MCFM [53], a generator that already contains a number of processes at NLO that are of interest for data analysis at the LHC.

Recent progress in the analytical computation of tree-level [54] and massless one-loop [55] gauge theory amplitudes provides a promising alternative to `Samper`. This work, including new methods based on twistor-space string theories [56], has led to compact expressions and recursion relations that promise a much faster numerical evaluation of differential cross sections. The next steps in bringing this approach to fruition are to generalize the results for massless one-loop diagrams to the massive case, and to build parton-level MC programs for processes of interest.

¹Several semi-automatic tools are available [47, 48], and work on extending the automatic program `Grace` to include QCD corrections has begun [49].

2.4 Interface of QCD Calculations with Parton Showers

Parton shower MC programs form the bridge between hard-scattering fixed-order calculations and the observed final state. Most existing shower MC programs are based on angular/energy ordered $1 \rightarrow 2$ branching. However, in QCD, gluon radiation has a dipole structure (i.e. $2 \rightarrow 3$ branching), so improved shower algorithms are necessary. `Vircol` is an example for such an improved algorithm [57]. It is based on $2 \rightarrow 3$ branching and promises to exactly match fixed-order calculations (NLO as well as LO), with full phase space coverage and a better description of hadronic radiation outside of a jet cone. It is important to integrate `Vircol` with `MCFM/Samper` to provide the same functionality as `MC@NLO` [58].

Even with an improved shower MC program available, `Pythia` [59], `Herwig` [60], and `Sherpa` [61] will still play important roles in LHC data analysis. Standard parton showers are based on the leading-log approximation, and must be supplemented with matrix-element (ME) corrections to accurately predict large p_T emissions. Several approaches [62–64] have been developed to systematically merge ME calculations with shower MC programs. So far, they have been applied to the production of QCD singlets plus jets (W and Z bosons [64], WW pairs [65], etc.), or pure jet production. Other, more complicated final states must also be considered, particularly those including heavy quarks.

Alternatively, one can try to directly combine NLO QCD calculations and parton showers. So far, this has only been done for `Herwig` [58]. It is desirable to extend this approach to other event generators. Current applications include the production of EW singlets and heavy quark pairs. The case of pure jet production has not yet been treated. There is currently no understanding of how to generalize this approach beyond NLO.

2.5 Prioritized List of Projects

From the discussion in the previous sections, we prioritize the SM projects listed above as follows:

1. Needed at LHC startup (2007 – 2008):
 - (a) Calculation of full NNLO PDFs, complete $pp \rightarrow jj, \gamma j$ at NNLO, and improved global PDF analyses.
 - (b) Application of `MCFM/Samper/Vircol` to $4j$ and $W/Z + 3$ jet production at NLO, and pursuit of other new calculational techniques, such as those based on twistors.
 - (c) Resummation of EW Sudakov logarithms in high-mass Drell-Yan production.
 - (d) Interface of $t\bar{t} + n$ jet matrix elements, including off-shell effects, with `Pythia` and `Herwig`.
2. For $10 - 30 \text{ fb}^{-1}$ (2008 – 2010):
 - (a) Calculation of full NLO QCD corrections to $pp \rightarrow t\bar{t} \rightarrow b\bar{b} + 4f$.
 - (b) Calculation of full tree-level $t\bar{t}Wjj$ production.
 - (c) Calculation of NLO QCD corrections to $t\bar{t}j, t\bar{t}\gamma, t\bar{t}b\bar{b}, t\bar{t}jj$ and $WWjj$ production.
 - (d) Resummation of QCD corrections to $qq' \rightarrow qq'H$.
 - (e) Interface of $H + n$ jet matrix elements with `Pythia` and `Herwig`.

3. For 300 fb^{-1} (2012 – 2013):
 - (a) Calculation of NLO QCD corrections to $gg \rightarrow HH, t\bar{t}W$ and $t\bar{t}Z$ production.
4. For 3000 fb^{-1} (> 2015):
 - (a) Calculation of NLO QCD corrections to $WWWjj, jj\gamma\gamma$ and $Q\bar{Q}\gamma j$ production.

3 Signatures of New Phenomena at the LHC

The LHC will revolutionize particle physics by opening the TeV energy region to direct experimental exploration. It will certainly reveal the origin of EWSB. But beyond that, it will probe a variety of possible extensions to the Standard Model – supersymmetry, large or small extra dimensions, strong gravity, technicolor, composite and Little Higgs – with a large number of models in each category. These models share a handful of signals that will be the focus of early LHC searches. In some cases, new particles carry a symmetry that suppresses contributions to precision measurements [66] and forces the new particles to be produced in pairs. The lightest new particle would then be stable and could serve as a natural dark matter candidate.

Generic signatures of new physics models include nonstandard top physics, top partners [SUSY, composite and Little Higgs (LH), Randall-Sundrum (RS), universal extra dimension (UED), technicolor (TC), and topcolor models], missing energy signals with or without cascades [SUSY, composite and LH with T parity, UED], W' and Z' bosons [composite and LH, RS, TC, UED, string-inspired SUSY models], and non-standard Higgs sectors [SUSY, composite and LH, TC, UED, and RS models]. Below we discuss representative models and propose specific calculations that are needed. For more details, we refer to Ref. [21].

3.1 Supersymmetry

Low energy supersymmetry provides one of the most compelling extensions of the Standard Model. SUSY, if it exists, is likely to be found rather quickly after the LHC begins taking data [18]. After the discovery of a potential SUSY signal, the emphasis will shift to determining the masses, spins and couplings of supersymmetric particles, together with their decay modes and branching fractions [67].

The masses of supersymmetric particles can be reconstructed from edges and thresholds in cascade decays [68]. Most such analyses involve jets; hence understanding the jet activity in SUSY events is critical. Existing studies [68] have used `Pythia` [69] or `Herwig` [70]. But a recent study [71] shows that the p_T distributions of jets from a matrix-element-based calculation [72] and `Pythia` can be very different. This indicates the need for a full NLO SUSY-QCD MC generator for squark and gluino production and decay (and spin correlations where appropriate). SUSY-QCD corrections for many SUSY production [73] and decay [67] processes are already known. Using these building blocks, together with `Vircol`, the development of a full NLO SUSY-QCD MC generator, including cascade decays, should be feasible.

Studies of how to measure the spin and the couplings of SUSY particles at the LHC are very important. The spin of sleptons can be determined using lepton charge asymmetries [74], but there are no similar studies for the spins of other SUSY particles. Likewise, whether and how the

couplings of SUSY particles can be measured at the LHC remains unknown, with the exception of the weak squark gauge coupling [75].

Other SUSY issues need to be addressed before the LHC reaches its design luminosity. For example, CP-violating phases must be included in non-Higgs related SUSY production and decay processes. Various versions of the NMSSM, and R-parity violating SUSY production processes, must be incorporated in event generators. NLO QCD corrections in Higgs radiation off bottom and top quarks [76, 77] and via VBF also need to be calculated.

3.2 Models of Electroweak Symmetry Breaking

Motivated by precision measurements, theorists have developed many other intriguing models for EWSB. One of the most promising new approaches is the “Little Higgs” (LH) mechanism [78], in which the Higgs field is a pseudo-Goldstone boson associated with the spontaneous breaking of a global symmetry. In such models, new particles with the same spin cancel the one-loop quadratically divergent contributions to the Higgs mass. Some of the predicted new particles should be observable at the LHC [79, 80]. Cancellation of the quadratic divergences requires a sum rule to be satisfied. The sum rule can in principle be tested at the LHC, but it is currently unknown how well it can be done. Other aspects of LH models also warrant more detailed investigation. For example, recently proposed models with T-parity [81], and the phenomenology of pseudo-axions in LH models [82], have yet to be studied in detail. Moreover, LH models have not been incorporated into standard MC packages in a systematic way. This needs to be done before the LHC turns on.

Extra-dimensional theories represent another promising direction. In Higgsless models, EWSB occurs via the boundary conditions of gauge fields, without the appearance of a physical Higgs boson [83]. These models predict a Kaluza-Klein (KK) tower for both the SM gauge bosons and the SM fermions. Some phenomenological aspects of the KK excitations of the SM gauge bosons have been studied in Ref. [84]. However, many properties of Higgsless models have not been explored. For example, the couplings of the new vector bosons are supposed to fulfill certain model-independent sum rules. They are expected to hold at the few percent level and can be tested at the LHC. Furthermore, no LHC studies have been performed for the RS Higgsless model or the version with gauge-Higgs unification [85].

String theory suggests that extra spatial dimensions may be the price for unifying the SM with gravity. The fact that string theory requires new non-perturbative soliton-like objects has opened new avenues for model building. Several classes of extra dimension (ED) models have been developed [86–89]. Remarkably, the so-called universal extra dimension (UED) models [89] have many of the same discovery signatures as SUSY, which makes it difficult to discriminate between the two possibilities [90]. Although much work on ED models has already been done [91], there are a number of issues which need to be addressed before the LHC begins operation. In particular, the implementation of ED models in event generators has to be completed; constraints on the ED parameter space from current data have to be determined; representative ED benchmark points have to be developed; and more in-depth studies have to be performed to answer how well UED and SUSY can be discriminated. Additional tasks are listed in Sec. 3.5.

3.3 String Constructions

A great deal of work has been devoted to developing “semi-realistic” string constructions² that contain the gauge group and particles of the SM or the MSSM. So far, no construction is fully realistic, and a uniquely “correct” construction is unlikely to emerge in the near future. Nevertheless, continued vigorous exploration of top-down constructions is important because string theory motivates new physics at the TeV scale. One major issue involves supersymmetry breaking and its mediation. Studies performed so far suggest that supersymmetry breaking may be much more complicated than the commonly studied minimal supergravity scenario. Almost all existing constructions suggest new TeV scale physics beyond the MSSM. For these reasons, physics at the LHC could well be much more complicated than the SM or the MSSM. It is important to work out a variety of examples of likely new scenarios, together with their signatures, and then to implement the physics in event generators.

3.4 Flavor Physics

LHC-b will produce an astonishing 10^{12} bottom quark pairs a year, with which it will be possible to test the CKM sector of the SM in extremely rare channels that have branching ratios of $\mathcal{O}(10^{-9} - 10^{-10})$ [99]. Of particular interest is the B_s meson, whose decays are sensitive to multiple CKM parameters. The extraction of these parameters in heretofore unstudied modes will allow for strong consistency checks whose violation would signal new physics. Exact priorities for research will depend on forthcoming results from the B factories at SLAC and KEK.

3.5 Prioritized List of Projects

Based on the previous discussion, we prioritize the new physics projects listed above as follows:

1. Needed at LHC startup (2007 – 2008):
 - (a) Studies of jet activity in cascade events, and determinations of how the spins and couplings of SUSY particles can be measured.
 - (b) Studies of CP-violating phases in supersymmetric production and decay processes.
 - (c) Studies of how well the sum rules of Little Higgs and Higgsless models can be tested.
 - (d) Incorporation of extra-dimensional models in MC generators; calculations of the search reach for UED.
 - (e) Establishment of benchmark points for models with extra dimensions and determination of the parameter space that is consistent with existing data.
 - (f) Studies of the discovery reach of the LHC in Higgsless models with gauge-Higgs unification and Randall-Sundrum type models.
 - (g) Determination of strategies to discriminate SUSY and UED.

²See, for example, Refs. [92–95]; for reviews, see Refs. [96–98].

2. For $10 - 30 \text{ fb}^{-1}$ (2008 – 2010):
 - (a) Implementation of a full NLO SUSY QCD event generator and calculation of SUSY QCD corrections to Higgs production in association with t - and b -quarks.
 - (b) Implementation of branon production [100] and transplanckian effects [101] in MC generators.
 - (c) More complete studies of the phenomenology of new particles in Little Higgs and Higgsless models.
 - (d) Incorporation of new physics from string constructions in event generators.
 - (e) Development of techniques to distinguish KK gauge boson excitations from heavy Z' production in GUT theories.
3. For 300 fb^{-1} (2012 – 2013):
 - (a) Calculation of NLO QCD corrections for processes in models with extra dimensions (if still relevant).

Of course, the priorities will be adjusted in light of LHC results.

4 Fellowships

To stimulate work on LHC-related theory, and in particular, on the issues raised in the previous sections, we propose a program of national postdoctoral and graduate student LHC Fellowships. By awarding fellowships through a nationwide competition, it will be possible to support the best qualified individuals at any US institution working on the highest priority LHC issues. By focusing on student and postdoctoral support, we will attract more highly-qualified young particle theorists to collider physics, and facilitate the development of a world-class program in collider theory in the United States.

The Fellowships are meant to help create a vital LHC theory community in the United States, with the Fellows eventually pursuing a career path as tenure-track faculty. There is an existence proof that this approach can succeed. Out of the twenty SSC Postdoctoral Fellowships awarded by the Texas National Research Laboratory Commission to theorists from 1990-93, thirteen led to tenured positions at research universities or national laboratories. These theorists have formed a nucleus of the US collider theory community over the last decade – indeed, two are members of the LHC-TI steering committee.³ Similarly, we expect that the graduate and postdoctoral LHC Fellows will become attractive candidates for tenure-track faculty positions and that they will help sustain a vital US LHC theory community over the projected twenty-year lifetime of the LHC.

Each Fellow will receive funds to be spent as specified in an initial proposal. They can be used for full or partial salary support. They can also be used for research expenses – something that will enable the Fellows to be more independent than ordinary postdocs or graduate students. The research funds will allow the Fellows to play highly visible roles in conferences or workshops. They will help to cover the computing needs of the fellowship projects, enable the Fellows to invite collaborators for visits, or visit other institutions for collaborative purposes.

³Giele and Orr are former SSC Postdoctoral Fellows. For an exposition of the role of the Steering Committee, see the Sec. 4.2.

Two meetings will be held each year to stimulate collaborative research and build personal links between the Fellows, their sponsors, and the LHC experimental collaborations. These meetings will include practical training sessions run by the postdoctoral Fellows and guest lecturers. They will incorporate feedback from the experimental collaborations on issues arising from experimental analyses, and provide advice on aspects of professional development (such as advice on applying and interviewing for faculty positions, writing grants, giving seminars or colloquia, and participating in public outreach). These meetings could be hosted by National Laboratories or other institutions, such as KITP or the Aspen Center for Physics.

The continuity of the links between the Fellows, and between the Fellows and the theoretical or experimental community at large, will be encouraged through the creation of theoretical working groups similar to the physics working groups of the Tevatron and LHC experiments. The LHC Fellows, with the help of their faculty sponsors and other senior members of the US theory community, will be expected to take a leadership role in one or more of these working groups. The collection of Fellows will provide the backbone of a nationwide collaborative theory network. In addition to smaller gatherings, the groups will be encouraged to have regularly-scheduled video conferences. Videoconferenced meetings will facilitate the participation of physicists from isolated groups and smaller institutions – making it possible for them to collaborate with others and coherently focus their efforts on projects that are directly relevant to LHC physics.

4.1 Fellowship Details

The Fellowships would formally be structured as subawards from Johns Hopkins University to the institutions hosting successful Fellowship applicants. Details of the proposed LHC Fellowships include:

- Each LHC Postdoctoral Fellowship would total \$150k to be spent over two or three years. The funds could be used for salary support (including fringe benefits), research support (of at least \$4k per year), together with an administrative fee of up to \$10k. The precise distribution of funds is left to the nominating institution, but the allocation must be specified in the nominating proposal. Two examples of the possible distribution of fellowship funds are given in the table below.
- Each LHC Graduate Fellowship would total \$40k for one year. The funds could be used to provide a graduate stipend (including fringe benefits), research support (of at least \$4k), tuition support (of up to \$6k), and an administrative fee of up to \$5K. The precise distribution of funds is left to the nominating institution, but the allocation must be specified in the nominating proposal. An example of the possible distribution of fellowship funds is given in the table below.
- Approximately 4 Postdoctoral and 6 Graduate LHC Fellowships would be awarded each year. The individual numbers could vary from year to year based on the pool of applicants and the availability of funds.
- LHC Postdoctoral and Graduate Fellowships would be awarded in an open nationwide competition. The institution proposing to host an LHC fellow would submit a nomination for a specific individual, and the nomination would have to include:

1. A nomination letter from a faculty member or other eligible member of the scientific staff who would serve as the Fellow's faculty sponsor and scientific mentor. The letter would briefly describe the Fellowship project, its relation to existing or planned theoretical collaborations, and the qualifications of the nominee.
 2. An institutional endorsement letter specifying the financial and other support being committed by the host institution to ensure the success of the Fellow's research, along with a budget explaining how the Fellowship funds would be spent. The faculty sponsor would serve as Principal Investigator for the Fellowship subaward.
 3. For a Postdoctoral Fellowship nomination, a short research plan (of no more than five pages) written by the nominee, and two additional letters of recommendation. For a Graduate Fellowship, only one additional letter of recommendation is necessary.
 4. Collaborative nominations from two institutions are encouraged and, in this case, the nomination should include an institutional endorsement from the secondary institution as well.
- The Fellowship announcement would encourage the nomination of women, members of under-represented minority groups. The announcement would be distributed widely to reach these groups – e.g. by using the WIPHYS e-mail list.
 - To avoid an excessive concentration of Fellows, each institution may host only one new postdoctoral and one new graduate student Fellow every other year. Each faculty sponsor may nominate at most one graduate Fellow and one postdoctoral Fellow in a given year of institutional eligibility.
 - For a given individual, only one Fellowship nomination would be accepted per year and there is a lifetime limit of two Graduate and one Postdoctoral Fellowship.
 - Recipients would be selected by a committee with seven members chosen by the LHC-TI Steering Committee (see Sec. 4.2 below). Members of the selection committee would serve for one or two years; the selection committee would be representative of the US particle theory community in LHC-related physics. Members of the selection committee would not be eligible to nominate a Fellow during the time of their service on the committee.
 - In order to ensure the full consideration of women, members of underrepresented minority groups, and persons with disabilities, the selection committee would apply the best practices developed for the unbiased review of applicants.⁴ The selection committee would also, to the best of its ability, keep track of the diversity of the nomination pool, and two members of the Fellowship selection committee would be specifically charged to provide a report to the steering committee on the status of women, underrepresented minorities, and people with disabilities in the Fellowship selection process.
 - The following criteria would be used to select recipients:
 1. Quality of the candidate.
 2. Quality of the Fellowship project.
 3. Relevance of the proposed work to the LHC, using the projects listed in Secs. 2.5 and 3.5 as guidelines.

⁴See, for example, <http://wiseli.engr.wisc.edu/initiatives/hiring/Bias.pdf>.

	Postdoctoral Fellowship		Graduate Fellowship
	Example 1 (2-year)	Example 2 (3-year)	
salary/stipend	\$50k+\$50k	\$55k+\$15k+\$15k	\$21k
fringe benefits	\$15.5k+\$15.5k	\$17k+\$4.7k+\$4.7k	\$2.3k
tuition			\$6k
research funds	\$9k	\$28.6k	\$5.7k
adm. fee	\$10k	\$10k	\$5k
total	\$150k	\$150k	\$40k

Table 1: An illustration of the possible distribution of award funds for a two- or three-year Postdoctoral Fellowship and a Graduate Fellowship. Note that in the three-year scenario, the Fellowship provides only partial salary support in the second and third years. Fringe benefits are assumed to be 31% (11%) for postdoctoral (graduate student) Fellowships.

4. Support committed by the recipient's institution, in particular the synergy between the proposed work and the theoretical and experimental groups at the sponsoring institution, as well as the availability of other students, postdocs and faculty to collaborate.
 5. Potential for impact on the recipient institution as a center of excellence for LHC-related theoretical research.
 6. Potential for the proposed project to nucleate an active theoretical working group.
- Postdoctoral Fellowship awards will be made the December prior to the beginning of the Fellowship year, so as to coordinate with the annual postdoctoral hiring cycle.
 - If a Postdoctoral (Graduate) Fellow is hired into a junior faculty (postdoctoral) position during the Fellowship period, the balance of funds would stay with the Fellow to continue the support of his or her project.

Johns Hopkins University has agreed to administer the overall grant for a flat administrative fee of \$25k per year. Each subaward would be limited to \$10k or \$5k of administrative expenses. We expect that recipient universities would accept this arrangement because of the prestige and visibility that such a Fellow would bring. Indeed, this is the model behind the very successful Hubble Fellowships in Astronomy, and the recently initiated Astronomy and Astrophysics Postdoctoral Fellowships at NSF. At the end of the proposal, we have attached letters from a variety of institutions (including the US ATLAS and CMS collaborations), all in support of the Fellowship program.

This total cost of the Fellowship program of about \$873k per year for 4 postdoctoral and 6 student Fellowships.

4.2 Management Structure

As with all grant proposals, formal scientific management rests with the PI and co-PIs. However, in order for the LHC Fellowship program to be responsive to the array of issues discussed in the previous sections, it is crucial that there be broad-based community input. Indeed, this proposal

is the result of a collaborative community effort, the LHC Theory Initiative.⁵ A broad-based Steering Committee, including representatives of US ATLAS and CMS, as well as the model building and string theory communities, was formed to oversee the LHC-TI process.

The LHC-TI Steering Committee, chaired by Paul Langacker, would serve as the Steering Committee for the LHC Fellowship program described here. The current members of the Steering Committee are:

Jonathan Bagger^{*†} (Johns Hopkins University)
Ulrich Baur^{*†} (State University of New York at Buffalo)
R. Sekhar Chivukula^{*†} (Michigan State University)
Sarah Eno (University of Maryland)
Walter Giele (Fermi National Accelerator Laboratory)
JoAnne Hewett[†] (Stanford Linear Accelerator Center)
Ian Hinchliffe[†] (Lawrence Berkeley National Laboratory)
Paul Langacker [*Chair*] (University of Pennsylvania)
Steve Mrenna (Fermi National Accelerator Laboratory)
Fred Olness (Southern Methodist University)
Lynne Orr^{*†} (University of Rochester)
John Parsons (Columbia University)
Martin Schmaltz[†] (Boston University)
Carlos Wagner (Argonne National Laboratory and University of Chicago)
Edward Witten (Institute for Advanced Study, Princeton)

All members of the LHC-TI steering committee have agreed to continue and to serve on the LHC Fellowship Steering Committee for at least one more year. The primary responsibilities of the Committee would be to construct the Fellowship selection committee and to advise on any policy issues not specified in this proposal.

In addition, a smaller Executive Committee would be necessary to deal with the details of the execution of the Fellowship program – for example, constructing and distributing a suitable fellowship solicitation, ensuring that fellowship meetings are scheduled and that programs are arranged, etc. The Executive Committee would be a subset of the Steering Committee of about 7 members. The current members of the Executive Committee are indicated by a dagger. Lynne Orr and Ulrich Baur have agreed to serve as co-chairs of the Executive Committee. The (co)-PIs of the proposal (who are indicated by an asterisk) are committed to serve on the Executive Committee for the duration of the grant. The additional members have agreed to serve through at least the first two years of awards.

Finally, as replacements on the Executive or Steering Committees are needed, the Steering Committee would solicit and endorse replacement members – while maintaining broad-based representation on the committees in terms of research interests and diversity.

⁵A timeline and cumulative set of documents developed during this process may be found at the LHC-TI website, <http://www.pas.rochester.edu/~orr/LHC-TI.html>.

References

- [1] S. Eidelman *et al.* [Particle Data Group], Phys. Lett. B **592**, 1 (2004).
- [2] C. Anastasiou, L. J. Dixon, K. Melnikov and F. Petriello, Phys. Rev. D **69**, 094008 (2004) [arXiv:hep-ph/0312266].
- [3] U. Baur and D. Wackerth, Phys. Rev. D **70**, 073015 (2004) [arXiv:hep-ph/0405191].
- [4] U. Baur, S. Keller and W. K. Sakumoto, Phys. Rev. D **57**, 199 (1998) [arXiv:hep-ph/9707301]; U. Baur, S. Keller and D. Wackerth, Phys. Rev. D **59**, 013002 (1999) [arXiv:hep-ph/9807417]; U. Baur, O. Brein, W. Hollik, C. Schappacher and D. Wackerth, Phys. Rev. D **65**, 033007 (2002) [arXiv:hep-ph/0108274]; S. Dittmaier and M. Krämer, Phys. Rev. D **65**, 073007 (2002) [arXiv:hep-ph/0109062];
- [5] W. Placzek and S. Jadach, Eur. Phys. J. C **29**, 325 (2003) [arXiv:hep-ph/0302065]; C. M. Carloni Calame, G. Montagna, O. Nicrosini and M. Treccani, Phys. Rev. D **69**, 037301 (2004) [arXiv:hep-ph/0303102] and JHEP **0505**, 019 (2005) [arXiv:hep-ph/0502218].
- [6] Q. H. Cao and C. P. Yuan, Phys. Rev. Lett. **93**, 042001 (2004) [arXiv:hep-ph/0401026].
- [7] U. Baur, A. Juste, L. H. Orr and D. Rainwater, Phys. Rev. D **71**, 054013 (2005) [arXiv:hep-ph/0412021].
- [8] M. Beneke *et al.*, arXiv:hep-ph/0003033.
- [9] F. Maltoni, D. L. Rainwater and S. Willenbrock, Phys. Rev. D **66**, 034022 (2002) [arXiv:hep-ph/0202205].
- [10] V. Drollinger, T. Müller and D. Denegri, arXiv:hep-ph/0111312.
- [11] S. Abdullin *et al.*, Eur. Phys. J. C **39S2**, 41 (2005);
- [12] J. Cammin and M. Schumacher, ATL-PHYS-2003-024.
- [13] U. Baur, T. Plehn and D. L. Rainwater, Phys. Rev. Lett. **89**, 151801 (2002) [arXiv:hep-ph/0206024] and Phys. Rev. D **67**, 033003 (2003) [arXiv:hep-ph/0211224].
- [14] U. Baur, T. Plehn and D. L. Rainwater, Phys. Rev. D **68**, 033001 (2003) [arXiv:hep-ph/0304015].
- [15] U. Baur, T. Plehn and D. L. Rainwater, Phys. Rev. D **69**, 053004 (2004) [arXiv:hep-ph/0310056].
- [16] S. Asai *et al.*, Eur. Phys. J. C **32S2**, 19 (2004) [arXiv:hep-ph/0402254].
- [17] M. Dührssen, S. Heinemeyer, H. Logan, D. Rainwater, G. Weiglein and D. Zeppenfeld, Phys. Rev. D **70**, 113009 (2004) [arXiv:hep-ph/0406323] and references therein.
- [18] S. Abdullin *et al.* [CMS Collaboration], J. Phys. G **28**, 469 (2002) [arXiv:hep-ph/9806366].

- [19] J. G. Branson, D. Denegri, I. Hinchliffe, F. Gianotti, F. E. Paige and P. Sphicas [ATLAS and CMS Collaborations], *Eur. Phys. J. directC* **4**, N1 (2002).
- [20] I. Hinchliffe and F. E. Paige, *Phys. Rev. D* **61**, 095011 (2000) [arXiv:hep-ph/9907519].
- [21] http://www.pas.rochester.edu/~orr/lhc-ti_whitepaper.pdf.
- [22] W. L. van Neerven and A. Vogt, *Nucl. Phys. B* **568**, 263 (2000) [arXiv:hep-ph/9907472].
- [23] W. L. van Neerven and A. Vogt, *Nucl. Phys. B* **588**, 345 (2000) [arXiv:hep-ph/0006154].
- [24] A. Vogt, S. Moch and J. A. M. Vermaseren, *Nucl. Phys. B* **691**, 129 (2004) [arXiv:hep-ph/0404111].
- [25] S. Moch, J. A. M. Vermaseren and A. Vogt, *Nucl. Phys. B* **688**, 101 (2004) [arXiv:hep-ph/0403192].
- [26] S. Moch, J. A. M. Vermaseren and A. Vogt, *Phys. Lett. B* **606**, 123 (2005) [arXiv:hep-ph/0411112].
- [27] J. Blümlein and V. Ravindran, *Nucl. Phys. B* **716**, 128 (2005) [arXiv:hep-ph/0501178].
- [28] E. W. N. Glover, C. Oleari and M. E. Tejeda-Yeomans, *Nucl. Phys. B* **605**, 467 (2001) [arXiv:hep-ph/0102201]; C. Anastasiou, E. W. N. Glover, C. Oleari and M. E. Tejeda-Yeomans, *Nucl. Phys. B* **605**, 486 (2001) [arXiv:hep-ph/0101304]; *Phys. Lett. B* **506**, 59 (2001) [arXiv:hep-ph/0012007]; *Nucl. Phys. B* **601**, 341 (2001) [arXiv:hep-ph/0011094]; *Nucl. Phys. B* **601**, 318 (2001) [arXiv:hep-ph/0010212]; C. Anastasiou, E. W. N. Glover and M. E. Tejeda-Yeomans, *Nucl. Phys. B* **629**, 255 (2002) [arXiv:hep-ph/0201274].
- [29] Z. Bern, A. De Freitas and L. J. Dixon, *JHEP* **0203**, 018 (2002) [arXiv:hep-ph/0201161]; *JHEP* **0306**, 028 (2003) [arXiv:hep-ph/0304168]; *JHEP* **0109**, 037 (2001) [arXiv:hep-ph/0109078]; A. De Freitas and Z. Bern, *JHEP* **0409**, 039 (2004) [arXiv:hep-ph/0409007].
- [30] A. Gehrmann-De Ridder, T. Gehrmann and E. W. N. Glover, arXiv:hep-ph/0505111.
- [31] C. Anastasiou, K. Melnikov and F. Petriello, *Phys. Rev. D* **69**, 076010 (2004) [arXiv:hep-ph/0311311].
- [32] T. Binoth and G. Heinrich, *Nucl. Phys. B* **693**, 134 (2004) [arXiv:hep-ph/0402265].
- [33] For a review see B. Andersson *et al.* [Small x Collaboration], *Eur. Phys. J. C* **25**, 77 (2002) [arXiv:hep-ph/0204115].
- [34] G. Watt, A. D. Martin and M. G. Ryskin, *Eur. Phys. J. C* **31**, 73 (2003) [arXiv:hep-ph/0306169].
- [35] G. Watt, A. D. Martin and M. G. Ryskin, *Phys. Rev. D* **70**, 014012 (2004) [Erratum-*ibid.* *D* **70**, 079902 (2004)] [arXiv:hep-ph/0309096].
- [36] J. Collins and H. Jung, arXiv:hep-ph/0508280.

- [37] The CDF Collaboration, CDF/PHYS/CDF/PUBLIC/7072 and http://www-cdf.fnal.gov/physics/new/qcd/zbjets/zbjet/zbjet_prelim.html
- [38] J. Pumplin, D. R. Stump, J. Huston, H. L. Lai, P. Nadolsky and W. K. Tung, JHEP **0207**, 012 (2002) [arXiv:hep-ph/0201195].
- [39] A. D. Martin, R. G. Roberts, W. J. Stirling and R. S. Thorne, Eur. Phys. J. C **28**, 455 (2003) [arXiv:hep-ph/0211080]; Eur. Phys. J. C **35**, 325 (2004) [arXiv:hep-ph/0308087].
- [40] L. N. Lipatov, Sov. J. Nucl. Phys. **23**, 338 (1976); E. A. Kuraev, L. N. Lipatov and V. S. Fadin, Sov. Phys. JETP **45**, 199 (1977); Ya. Ya. Balitsky and L. N. Lipatov, J. Nucl. Phys. **28**, 822 (1978).
- [41] M. Ciafaloni, Nucl. Phys. B **296**, 49 (1988); S. Catani, F. Fiorani and G. Marchesini, Phys. Lett. B **234**, 339 (1990); Nucl. Phys. B **336**, 18 (1990).
- [42] W. Bernreuther, A. Brandenburg, Z. G. Si and P. Uwer, Nucl. Phys. B **690**, 81 (2004) [arXiv:hep-ph/0403035].
- [43] N. Kauer and D. Zeppenfeld, Phys. Rev. D **65**, 014021 (2002) [arXiv:hep-ph/0107181]; N. Kauer, Phys. Rev. D **67**, 054013 (2003) [arXiv:hep-ph/0212091].
- [44] A. Denner, S. Dittmaier, M. Roth and L. H. Wieders, arXiv:hep-ph/0505042 and Phys. Lett. B **612**, 223 (2005) [arXiv:hep-ph/0502063].
- [45] N. Kauer, T. Plehn, D. L. Rainwater and D. Zeppenfeld, Phys. Lett. B **503**, 113 (2001) [arXiv:hep-ph/0012351].
- [46] S. Dawson, S. Dittmaier and M. Spira, Phys. Rev. D **58**, 115012 (1998) [arXiv:hep-ph/9805244].
- [47] T. Hahn and M. Perez-Victoria, Comput. Phys. Commun. **118**, 153 (1999) [arXiv:hep-ph/9807565].
- [48] P. Nogueira, J. Comput. Phys. **105**, 279 (1993).
- [49] Y. Kurihara, talk at *LoopFest IV*, Snowmass, CO, August 2005, <http://agenda.cern.ch/fullAgenda.php?ida=a053785>.
- [50] W. T. Giele and E. W. N. Glover, JHEP **0404**, 029 (2004) [arXiv:hep-ph/0402152].
- [51] R. K. Ellis, W. T. Giele and G. Zanderighi, Phys. Rev. D **72**, 054018 (2005) [arXiv:hep-ph/0506196].
- [52] R. K. Ellis, W. T. Giele and G. Zanderighi, arXiv:hep-ph/0508308.
- [53] <http://mcfm.fnal.gov> and references therein.

- [54] F. Cachazo, P. Svrček and E. Witten, JHEP **0409**, 006 (2004) [arXiv:hep-th/0403047]; C. J. Zhu, JHEP **0404**, 032 (2004) [arXiv:hep-th/0403115]; G. Georgiou and V. V. Khoze, JHEP **0405**, 070 (2004) [arXiv:hep-th/0404072]; J. B. Wu and C. J. Zhu, JHEP **0407**, 032 (2004) [arXiv:hep-th/0406085]; J. B. Wu and C. J. Zhu, JHEP **0409**, 063 (2004) [arXiv:hep-th/0406146]; D. A. Kosower, Phys. Rev. D **71**, 045007 (2005) [arXiv:hep-th/0406175]; G. Georgiou, E. W. N. Glover and V. V. Khoze, JHEP **0407**, 048 (2004) [arXiv:hep-th/0407027]; Y. Abe, V. P. Nair and M. I. Park, Phys. Rev. D **71**, 025002 (2005) [arXiv:hep-th/0408191]; L. J. Dixon, E. W. N. Glover and V. V. Khoze, JHEP **0412**, 015 (2004) [arXiv:hep-th/0411092]; S. D. Badger, E. W. N. Glover and V. V. Khoze, JHEP **0503**, 023 (2005) [arXiv:hep-th/0412275]; Z. Bern, D. Forde, D. A. Kosower and P. Mastrolia, Phys. Rev. D **72**, 025006 (2005) [arXiv:hep-ph/0412167]; R. Roiban, M. Spradlin and A. Volovich, Phys. Rev. Lett. **94**, 102002 (2005) [arXiv:hep-th/0412265]; R. Britto, F. Cachazo and B. Feng, Nucl. Phys. B **715**, 499 (2005) [arXiv:hep-th/0412308]; R. Britto, F. Cachazo, B. Feng and E. Witten, Phys. Rev. Lett. **94**, 181602 (2005) [arXiv:hep-th/0501052]; M. Luo and C. Wen, JHEP **0503**, 004 (2005) [arXiv:hep-th/0501121]; Phys. Rev. D **71**, 091501 (2005) [arXiv:hep-th/0502009]; R. Britto, B. Feng, R. Roiban, M. Spradlin and A. Volovich, Phys. Rev. D **71**, 105017 (2005) [arXiv:hep-th/0503198]; S. D. Badger, E. W. N. Glover, V. V. Khoze and P. Svrček, JHEP **0507**, 025 (2005) [arXiv:hep-th/0504159].
- [55] A. Brandhuber, B. Spence and G. Travaglini, Nucl. Phys. B **706**, 150 (2005) [arXiv:hep-th/0407214]; R. Britto, F. Cachazo and B. Feng, Phys. Rev. D **71**, 025012 (2005) [arXiv:hep-th/0410179]; Z. Bern, V. Del Duca, L. J. Dixon and D. A. Kosower, Phys. Rev. D **71**, 045006 (2005) [arXiv:hep-th/0410224]; R. Britto, F. Cachazo and B. Feng, Nucl. Phys. B **725**, 275 (2005) [arXiv:hep-th/0412103]; Z. Bern, L. J. Dixon and D. A. Kosower, Phys. Rev. D **72**, 045014 (2005) [arXiv:hep-th/0412210]; arXiv:hep-ph/0507005; C. Quigley and M. Rozali, JHEP **0501**, 053 (2005) [arXiv:hep-th/0410278]; J. Bedford, A. Brandhuber, B. Spence and G. Travaglini, Nucl. Phys. B **706**, 100 (2005) [arXiv:hep-th/0410280]; Nucl. Phys. B **712**, 59 (2005) [arXiv:hep-th/0412108]; S. J. Bidder, N. E. J. Bjerrum-Bohr, L. J. Dixon and D. C. Dunbar, Phys. Lett. B **606**, 189 (2005) [arXiv:hep-th/0410296]; S. J. Bidder, N. E. J. Bjerrum-Bohr, D. C. Dunbar and W. B. Perkins, Phys. Lett. B **608**, 151 (2005) [arXiv:hep-th/0412023]; Phys. Lett. B **612**, 75 (2005) [arXiv:hep-th/0502028]; R. Britto, E. Buchbinder, F. Cachazo and B. Feng, Phys. Rev. D **72**, 065012 (2005) [arXiv:hep-ph/0503132].
- [56] E. Witten, Commun. Math. Phys. **252**, 189 (2004) [arXiv:hep-th/0312171].
- [57] P. Skands, talk at *LoopFest IV*, Snowmass, CO, August 2005, <http://agenda.cern.ch/fullAgenda.php?ida=a053785>
- [58] S. Frixione and B. R. Webber, arXiv:hep-ph/0506182.
- [59] T. Sjostrand, L. Lönnblad, S. Mrenna and P. Skands, arXiv:hep-ph/0308153.
- [60] G. Corcella *et al.*, arXiv:hep-ph/0210213.
- [61] T. Gleisberg, S. Hoche, F. Krauss, A. Schaliche, S. Schumann and J. C. Winter, JHEP **0402**, 056 (2004) [arXiv:hep-ph/0311263].

- [62] F. Krauss, JHEP **0208**, 015 (2002) [arXiv:hep-ph/0205283].
- [63] S. Catani, F. Krauss, R. Kuhn and B. R. Webber, JHEP **0111**, 063 (2001) [arXiv:hep-ph/0109231].
- [64] S. Mrenna and P. Richardson, JHEP **0405**, 040 (2004) [arXiv:hep-ph/0312274].
- [65] F. Krauss, A. Schalicke, S. Schumann and G. Soff, Phys. Rev. D **70**, 114009 (2004) [arXiv:hep-ph/0409106].
- [66] [LEP and SLD Collaborations], arXiv:hep-ex/0509008.
- [67] M. Mühlleitner, A. Djouadi and Y. Mambrini, arXiv:hep-ph/0311167 and references therein.
- [68] H. Bachacou, I. Hinchliffe and F. E. Paige, Phys. Rev. D **62**, 015009 (2000) [arXiv:hep-ph/9907518]; B. C. Allanach, C. G. Lester, M. A. Parker and B. R. Webber, JHEP **0009**, 004 (2000) [arXiv:hep-ph/0007009].
- [69] S. Mrenna, Comput. Phys. Commun. **101**, 232 (1997) [arXiv:hep-ph/9609360].
- [70] S. Moretti, K. Odagiri, P. Richardson, M. H. Seymour and B. R. Webber, JHEP **0204**, 028 (2002) [arXiv:hep-ph/0204123].
- [71] T. Plehn, D. Rainwater and P. Skands, arXiv:hep-ph/0510144.
- [72] G.-C. Cho, K. Hagiwara, J. Kanzaki, T. Plehn, D. Rainwater and T. Stelzer, in preparation.
- [73] W. Beenakker, R. Höpker, M. Spira and P. M. Zerwas, Phys. Rev. Lett. **74**, 2905 (1995) [arXiv:hep-ph/9412272]; Z. Phys. C **69**, 163 (1995) [arXiv:hep-ph/9505416]; Nucl. Phys. B **492**, 51 (1997) [arXiv:hep-ph/9610490]; W. Beenakker, M. Krämer, T. Plehn, M. Spira and P. M. Zerwas, Nucl. Phys. B **515**, 3 (1998) [arXiv:hep-ph/9710451]; W. Beenakker, M. Klasen, M. Krämer, T. Plehn, M. Spira and P. M. Zerwas, Phys. Rev. Lett. **83**, 3780 (1999) [arXiv:hep-ph/9906298]; M. Spira, arXiv:hep-ph/0211145; E. L. Berger, M. Klasen and T. M. P. Tait, Phys. Rev. D **62**, 095014 (2000) [arXiv:hep-ph/0005196]; Phys. Rev. D **67**, 099901 (2003) [arXiv:hep-ph/0212306].
- [74] A. J. Barr, Phys. Lett. B **596**, 205 (2004) [arXiv:hep-ph/0405052].
- [75] D. Berdine and D. Rainwater, arXiv:hep-ph/0506261.
- [76] J. Campbell *et al.*, arXiv:hep-ph/0405302.
- [77] W. Beenakker, S. Dittmaier, M. Krämer, B. Plümper, M. Spira and P. M. Zerwas, Phys. Rev. Lett. **87**, 201805 (2001) [arXiv:hep-ph/0107081].
- [78] N. Arkani-Hamed, A. G. Cohen, E. Katz and A. E. Nelson, JHEP **0207**, 034 (2002) [arXiv:hep-ph/0206021]; N. Arkani-Hamed, A. G. Cohen, E. Katz, A. E. Nelson, T. Gregoire and J. G. Wacker, JHEP **0208**, 021 (2002) [arXiv:hep-ph/0206020]; D. E. Kaplan and M. Schmaltz, JHEP **0310**, 039 (2003) [arXiv:hep-ph/0302049]; M. Schmaltz, JHEP

- 0408**, 056 (2004) [arXiv:hep-ph/0407143]; M. Schmaltz and D. Tucker-Smith, arXiv:hep-ph/0502182.
- [79] G. Burdman, M. Perelstein and A. Pierce, Phys. Rev. Lett. **90**, 241802 (2003) [Erratum-ibid. **92**, 049903 (2004)] [arXiv:hep-ph/0212228]; T. Han, H. E. Logan, B. McElrath and L. T. Wang, Phys. Rev. D **67**, 095004 (2003) [arXiv:hep-ph/0301040]; M. Perelstein, M. E. Peskin and A. Pierce, Phys. Rev. D **69**, 075002 (2004) [arXiv:hep-ph/0310039].
- [80] G. Azuelos *et al.*, Eur. Phys. J. C **39S2**, 13 (2005) [arXiv:hep-ph/0402037].
- [81] H. C. Cheng and I. Low, JHEP **0408**, 061 (2004) [arXiv:hep-ph/0405243]; I. Low, JHEP **0410**, 067 (2004) [arXiv:hep-ph/0409025].
- [82] W. Kilian, D. Rainwater and J. Reuter, Phys. Rev. D **71**, 015008 (2005) [arXiv:hep-ph/0411213].
- [83] C. Csaki, C. Grojean, H. Murayama, L. Pilo and J. Terning, Phys. Rev. D **69**, 055006 (2004) [arXiv:hep-ph/0305237]; C. Csaki, C. Grojean, L. Pilo and J. Terning, Phys. Rev. Lett. **92**, 101802 (2004) [arXiv:hep-ph/0308038].
- [84] A. Birkedal, K. Matchev and M. Perelstein, Phys. Rev. Lett. **94**, 191803 (2005) [arXiv:hep-ph/0412278].
- [85] K. Agashe, R. Contino and A. Pomarol, Nucl. Phys. B **719**, 165 (2005) [arXiv:hep-ph/0412089].
- [86] N. Arkani-Hamed, S. Dimopoulos and G. R. Dvali, Phys. Lett. B **429**, 263 (1998) [arXiv:hep-ph/9803315]; I. Antoniadis, N. Arkani-Hamed, S. Dimopoulos and G. R. Dvali, Phys. Lett. B **436**, 257 (1998) [arXiv:hep-ph/9804398]; N. Arkani-Hamed, S. Dimopoulos and G. R. Dvali, Phys. Rev. D **59**, 086004 (1999) [arXiv:hep-ph/9807344].
- [87] L. Randall and R. Sundrum, Phys. Rev. Lett. **83**, 3370 (1999) [arXiv:hep-ph/9905221].
- [88] I. Antoniadis, Phys. Lett. B **246**, 377 (1990); J. D. Lykken, Phys. Rev. D **54**, 3693 (1996) [arXiv:hep-th/9603133]; I. Antoniadis and M. Quiros, Phys. Lett. B **392**, 61 (1997) [arXiv:hep-th/9609209].
- [89] T. Appelquist, H. C. Cheng and B. A. Dobrescu, Phys. Rev. D **64**, 035002 (2001) [arXiv:hep-ph/0012100]; C. Macesanu, C. D. McMullen and S. Nandi, Phys. Lett. B **546**, 253 (2002) [arXiv:hep-ph/0207269].
- [90] H. C. Cheng, K. T. Matchev and M. Schmaltz, Phys. Rev. D **66**, 056006 (2002) [arXiv:hep-ph/0205314]; J. M. Smillie and B. R. Webber, arXiv:hep-ph/0507170; M. Battaglia, A. K. Datta, A. De Roeck, K. Kong and K. T. Matchev, arXiv:hep-ph/0507284.
- [91] J. Hewett and M. Spiropulu, Ann. Rev. Nucl. Part. Sci. **52**, 397 (2002) [arXiv:hep-ph/0205106].
- [92] G. Cleaver, M. Cvetič, J. R. Espinosa, L. L. Everett, P. Langacker and J. Wang, Phys. Rev. D **59**, 055005 (1999) [arXiv:hep-ph/9807479].

- [93] M. Cvetič, G. Shiu and A. M. Uranga, Nucl. Phys. B **615**, 3 (2001) [arXiv:hep-th/0107166].
- [94] V. Braun, Y. H. He, B. A. Ovrut and T. Pantev, JHEP **0506**, 039 (2005) [arXiv:hep-th/0502155].
- [95] T. P. T. Dijkstra, L. R. Huiszoon and A. N. Schellekens, Nucl. Phys. B **710**, 3 (2005) [arXiv:hep-th/0411129].
- [96] F. Quevedo, *Prepared for ICTP Spring School on Superstrings and Related Matters, Trieste, Italy, 18-26 March 2002.*
- [97] A. E. Faraggi, C. Kounnas, S. E. M. Nooij and J. Rizos, Nucl. Phys. B **695**, 41 (2004) [arXiv:hep-th/0403058].
- [98] R. Blumenhagen, M. Cvetič, P. Langacker and G. Shiu, [arXiv:hep-th/0502005].
- [99] For an overview see M. Calvi, arXiv:hep-ex/0506046 and J. Rademacker [LHCb Collaboration], arXiv:hep-ex/0503001.
- [100] J. A. R. Cembranos, A. Dobado and A. L. Maroto, Phys. Rev. D **70**, 096001 (2004) [arXiv:hep-ph/0405286].
- [101] G. F. Giudice, R. Rattazzi and J. D. Wells, Nucl. Phys. B **630**, 293 (2002) [arXiv:hep-ph/0112161].
- [102] R. Altendorfer, J. Bagger and D. Nemeschansky, Phys. Rev. D **63**, 125025 (2001).
- [103] J. Bagger, F. Feruglio and F. Zwirner, JHEP **0202**, 010 (2002).
- [104] J. A. Bagger, F. Feruglio and F. Zwirner, Phys. Rev. Lett. **88**, 101601 (2002).
- [105] J. Bagger and D. V. Belyaev, Phys. Rev. D **67**, 025004 (2003).
- [106] J. Bagger and M. Redi, JHEP **0404**, 031 (2004).
- [107] R. S. Chivukula, E. H. Simmons, H. J. He, M. Kurachi and M. Tanabashi, Phys. Rev. D **70**, 075008 (2004) [arXiv:hep-ph/0406077].
- [108] R. S. Chivukula, E. H. Simmons, H.-J. He, M. Kurachi, and M. Tanabashi, Phys. Lett. B **603**, 210 (2004), [arXiv:hep-ph/0408262].
- [109] M. Kurachi, R. S. Chivukula, E. H. Simmons, H. J. He and M. Tanabashi, arXiv:hep-ph/0409134.
- [110] R. Sekhar Chivukula, E. H. Simmons, H. J. He, M. Kurachi and M. Tanabashi, Phys. Rev. D **71**, 035007 (2005) [arXiv:hep-ph/0410154].
- [111] R. S. Chivukula, E. H. Simmons, H. J. He, M. Kurachi and M. Tanabashi, Phys. Rev. D **71**, 115001 (2005) [arXiv:hep-ph/0502162].

- [112] R. Sekhar Chivukula, E. H. Simmons, H. J. He, M. Kurachi and M. Tanabashi, Phys. Rev. D **72**, 015008 (2005) [arXiv:hep-ph/0504114].
- [113] R. Barbieri, A. Pomarol, R. Rattazzi and A. Strumia, Nucl. Phys. B **703**, 127 (2004) [arXiv:hep-ph/0405040].
- [114] R. S. Chivukula, E. H. Simmons, H. J. He, M. Kurachi and M. Tanabashi, arXiv:hep-ph/0508147.
- [115] R. Sekhar Chivukula, E. H. Simmons, H. J. He, M. Kurachi and M. Tanabashi, arXiv:hep-ph/0509110.
- [116] A. Belyaev, A. Blum, R. S. Chivukula and E. H. Simmons, Phys. Rev. D **72**, 055022 (2005) [arXiv:hep-ph/0506086].
- [117] L. H. Orr, T. Stelzer, and W. J. Stirling, Phys. Rev. D **56**, 446 (1997).
- [118] C. Macesanu and L. H. Orr, Phys. Rev. D **65**, 014004 (2002).
- [119] U. Baur, M. Buice, and L.H. Orr, Phys. Rev. D **64**, 094019 (2001).
- [120] L. H. Orr and W. J. Stirling, Phys. Rev. D **56**, 5875 (1997).
- [121] L. H. Orr and W. J. Stirling, Phys. Lett. B **429**, 135 (1998).
- [122] L. H. Orr and W. J. Stirling, Phys. Lett. B **436**, 372 (1998).
- [123] M. Bisset, O. Kong, C. Macesanu, and L.H. Orr, Phys. Lett. B **430**, 274 (1998).
- [124] M. Bisset, O. Kong, C. Macesanu, and L.H. Orr Phys. Rev. D **62**, 035001 (2000).

SUMMARY PROPOSAL BUDGET YEAR 1

ORGANIZATION JOHNS HOPKINS UNIVERSITY				FOR NSF USE ONLY			
				PROPOSAL NO.	DURATION (months)		
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Jonathan A Bagger				AWARD NO.	Proposed	Granted	
A. SENIOR PERSONNEL: PI/PI, Co-PI s, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
				CAL	ACAD	SUMR	
1.	Jonathan A Bagger			0.00	0.00	0.00	\$ 0
2.	Ulrich J Baur			0.00	0.00	0.00	0
3.	R. Sekhar Chivukula			0.00	0.00	0.00	0
4.	Paul G Langacker			0.00	0.00	0.00	0
5.	Lynne H Orr			0.00	0.00	0.00	0
6.	(0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)			0.00	0.00	0.00	0
7.	(5) TOTAL SENIOR PERSONNEL (1 - 6)			0.00	0.00	0.00	0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1.	(0) POST DOCTORAL ASSOCIATES			0.00	0.00	0.00	0
2.	(0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)			0.00	0.00	0.00	0
3.	(0) GRADUATE STUDENTS						0
4.	(0) UNDERGRADUATE STUDENTS						0
5.	(0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)						0
6.	(0) OTHER						0
TOTAL SALARIES AND WAGES (A + B)							0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)							0
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)							0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
TOTAL EQUIPMENT							0
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)							5,250
2. FOREIGN							0
F. PARTICIPANT SUPPORT COSTS							
1.	STIPENDS	\$	0				
2.	TRAVEL		0				
3.	SUBSISTENCE		0				
4.	OTHER		0				
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS							0
G. OTHER DIRECT COSTS							
1. MATERIALS AND SUPPLIES							400
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION							2,500
3. CONSULTANT SERVICES							0
4. COMPUTER SERVICES							0
5. SUBAWARDS							840,000
6. OTHER							25,000
TOTAL OTHER DIRECT COSTS							867,900
H. TOTAL DIRECT COSTS (A THROUGH G)							873,150
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)							
TOTAL INDIRECT COSTS (F&A)							0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)							873,150
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)							0
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)							\$ 873,150 \$
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$			
PI/PI NAME Jonathan A Bagger				FOR NSF USE ONLY			
ORG. REP. NAME* Nancy kerner				INDIRECT COST RATE VERIFICATION			
		Date Checked	Date Of Rate Sheet	Initials - ORG			

SUMMARY PROPOSAL BUDGET

YEAR 2

ORGANIZATION JOHNS HOPKINS UNIVERSITY				FOR NSF USE ONLY			
				PROPOSAL NO.	DURATION (months)		
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Jonathan A Bagger				AWARD NO.	Proposed	Granted	
A. SENIOR PERSONNEL: PI/PI, Co-PI s, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
				CAL	ACAD	SUMR	
1.	Jonathan A Bagger			0.00	0.00	0.00	\$ 0
2.	Ulrich J Baur			0.00	0.00	0.00	0
3.	R. Sekhar Chivukula			0.00	0.00	0.00	0
4.	Paul G Langacker			0.00	0.00	0.00	0
5.	Lynne H Orr			0.00	0.00	0.00	0
6.	(0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)			0.00	0.00	0.00	0
7.	(5) TOTAL SENIOR PERSONNEL (1 - 6)			0.00	0.00	0.00	0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1.	(0) POST DOCTORAL ASSOCIATES			0.00	0.00	0.00	0
2.	(0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)			0.00	0.00	0.00	0
3.	(0) GRADUATE STUDENTS						0
4.	(0) UNDERGRADUATE STUDENTS						0
5.	(0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)						0
6.	(0) OTHER						0
TOTAL SALARIES AND WAGES (A + B)							0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)							0
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)							0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
TOTAL EQUIPMENT							0
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)							5,250
2. FOREIGN							0
F. PARTICIPANT SUPPORT COSTS							
1.	STIPENDS	\$	0				
2.	TRAVEL		0				
3.	SUBSISTENCE		0				
4.	OTHER		0				
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS							0
G. OTHER DIRECT COSTS							
1.	MATERIALS AND SUPPLIES						400
2.	PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION						2,500
3.	CONSULTANT SERVICES						0
4.	COMPUTER SERVICES						0
5.	SUBAWARDS						840,000
6.	OTHER						25,000
TOTAL OTHER DIRECT COSTS							867,900
H. TOTAL DIRECT COSTS (A THROUGH G)							873,150
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)							
TOTAL INDIRECT COSTS (F&A)							0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)							873,150
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)							0
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)							\$ 873,150 \$
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$			
PI/PI NAME Jonathan A Bagger				FOR NSF USE ONLY			
ORG. REP. NAME* Nancy kerner				INDIRECT COST RATE VERIFICATION			
		Date Checked	Date Of Rate Sheet			Initials - ORG	

SUMMARY PROPOSAL BUDGET YEAR 3

ORGANIZATION JOHNS HOPKINS UNIVERSITY				FOR NSF USE ONLY			
				PROPOSAL NO.	DURATION (months)		
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Jonathan A Bagger				AWARD NO.	Proposed	Granted	
A. SENIOR PERSONNEL: PI/PI, Co-PI s, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
		CAL	ACAD	SUMR			
1.	Jonathan A Bagger	0.00	0.00	0.00	\$ 0	\$	
2.	Ulrich J Baur	0.00	0.00	0.00	0		
3.	R. Sekhar Chivukula	0.00	0.00	0.00	0		
4.	Paul G Langacker	0.00	0.00	0.00	0		
5.	Lynne H Orr	0.00	0.00	0.00	0		
6.	(0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)	0.00	0.00	0.00	0		
7.	(5) TOTAL SENIOR PERSONNEL (1 - 6)	0.00	0.00	0.00	0		
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1.	(0) POST DOCTORAL ASSOCIATES	0.00	0.00	0.00	0		
2.	(0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)	0.00	0.00	0.00	0		
3.	(0) GRADUATE STUDENTS				0		
4.	(0) UNDERGRADUATE STUDENTS				0		
5.	(0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)				0		
6.	(0) OTHER				0		
TOTAL SALARIES AND WAGES (A + B)					0		
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)					0		
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)					0		
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
TOTAL EQUIPMENT					0		
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)					5,250		
2. FOREIGN					0		
F. PARTICIPANT SUPPORT COSTS							
1.	STIPENDS \$ _____	0					
2.	TRAVEL _____	0					
3.	SUBSISTENCE _____	0					
4.	OTHER _____	0					
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS					0		
G. OTHER DIRECT COSTS							
1. MATERIALS AND SUPPLIES					400		
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION					2,500		
3. CONSULTANT SERVICES					0		
4. COMPUTER SERVICES					0		
5. SUBAWARDS					840,000		
6. OTHER					25,000		
TOTAL OTHER DIRECT COSTS					867,900		
H. TOTAL DIRECT COSTS (A THROUGH G)					873,150		
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)							
TOTAL INDIRECT COSTS (F&A)					0		
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)					873,150		
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)					0		
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)				\$	873,150	\$	
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$			
PI/PI NAME Jonathan A Bagger				FOR NSF USE ONLY			
ORG. REP. NAME* Nancy kerner				INDIRECT COST RATE VERIFICATION			
		Date Checked	Date Of Rate Sheet	Initials - ORG			

SUMMARY PROPOSAL BUDGET YEAR 4

ORGANIZATION JOHNS HOPKINS UNIVERSITY				FOR NSF USE ONLY			
				PROPOSAL NO.	DURATION (months)		
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Jonathan A Bagger				AWARD NO.	Proposed	Granted	
A. SENIOR PERSONNEL: PI/PI, Co-PI s, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
		CAL	ACAD	SUMR			
1.	Jonathan A Bagger	0.00	0.00	0.00	\$ 0	\$	
2.	Ulrich J Baur	0.00	0.00	0.00	0		
3.	R. Sekhar Chivukula	0.00	0.00	0.00	0		
4.	Paul G Langacker	0.00	0.00	0.00	0		
5.	Lynne H Orr	0.00	0.00	0.00	0		
6.	(0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)	0.00	0.00	0.00	0		
7.	(5) TOTAL SENIOR PERSONNEL (1 - 6)	0.00	0.00	0.00	0		
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)							
1.	(0) POST DOCTORAL ASSOCIATES	0.00	0.00	0.00	0		
2.	(0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)	0.00	0.00	0.00	0		
3.	(0) GRADUATE STUDENTS				0		
4.	(0) UNDERGRADUATE STUDENTS				0		
5.	(0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)				0		
6.	(0) OTHER				0		
TOTAL SALARIES AND WAGES (A + B)					0		
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)					0		
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)					0		
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)							
TOTAL EQUIPMENT					0		
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)					5,250		
2. FOREIGN					0		
F. PARTICIPANT SUPPORT COSTS							
1.	STIPENDS \$ _____	0					
2.	TRAVEL _____	0					
3.	SUBSISTENCE _____	0					
4.	OTHER _____	0					
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS					0		
G. OTHER DIRECT COSTS							
1. MATERIALS AND SUPPLIES					400		
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION					2,500		
3. CONSULTANT SERVICES					0		
4. COMPUTER SERVICES					0		
5. SUBAWARDS					840,000		
6. OTHER					25,000		
TOTAL OTHER DIRECT COSTS					867,900		
H. TOTAL DIRECT COSTS (A THROUGH G)					873,150		
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)							
TOTAL INDIRECT COSTS (F&A)					0		
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)					873,150		
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)					0		
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)				\$	873,150	\$	
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$			
PI/PI NAME Jonathan A Bagger				FOR NSF USE ONLY			
ORG. REP. NAME* Nancy kerner				INDIRECT COST RATE VERIFICATION			
		Date Checked	Date Of Rate Sheet	Initials - ORG			

SUMMARY PROPOSAL BUDGET YEAR 5

ORGANIZATION JOHNS HOPKINS UNIVERSITY		FOR NSF USE ONLY			
		PROPOSAL NO.	DURATION (months)		
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Jonathan A Bagger		AWARD NO.	Proposed	Granted	
A. SENIOR PERSONNEL: PI/PI, Co-PI s, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)		NSF Funded Person-months		Funds Requested By proposer	Funds granted by NSF (if different)
		CAL	ACAD	SUMR	
1.	Jonathan A Bagger	0.00	0.00	0.00	\$ 0 \$
2.	Ulrich J Baur	0.00	0.00	0.00	0
3.	R. Sekhar Chivukula	0.00	0.00	0.00	0
4.	Paul G Langacker	0.00	0.00	0.00	0
5.	Lynne H Orr	0.00	0.00	0.00	0
6.	(0) OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)	0.00	0.00	0.00	0
7.	(5) TOTAL SENIOR PERSONNEL (1 - 6)	0.00	0.00	0.00	0
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)					
1.	(0) POST DOCTORAL ASSOCIATES	0.00	0.00	0.00	0
2.	(0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)	0.00	0.00	0.00	0
3.	(0) GRADUATE STUDENTS				0
4.	(0) UNDERGRADUATE STUDENTS				0
5.	(0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)				0
6.	(0) OTHER				0
TOTAL SALARIES AND WAGES (A + B)					0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)					0
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)					0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)					
TOTAL EQUIPMENT					0
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)					5,250
2. FOREIGN					0
F. PARTICIPANT SUPPORT COSTS					
1.	STIPENDS \$ _____ 0				
2.	TRAVEL _____ 0				
3.	SUBSISTENCE _____ 0				
4.	OTHER _____ 0				
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS					0
G. OTHER DIRECT COSTS					
1.	MATERIALS AND SUPPLIES				400
2.	PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION				2,500
3.	CONSULTANT SERVICES				0
4.	COMPUTER SERVICES				0
5.	SUBAWARDS				840,000
6.	OTHER				25,000
TOTAL OTHER DIRECT COSTS					867,900
H. TOTAL DIRECT COSTS (A THROUGH G)					873,150
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE) (Rate: , Base:)					
TOTAL INDIRECT COSTS (F&A)					0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)					873,150
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)					0
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)					\$ 873,150 \$
M. COST SHARING PROPOSED LEVEL \$ 0 AGREED LEVEL IF DIFFERENT \$					
PI/PI NAME Jonathan A Bagger		FOR NSF USE ONLY			
ORG. REP. NAME* Nancy kerner		INDIRECT COST RATE VERIFICATION			
		Date Checked	Date Of Rate Sheet	Initials - ORG	

SUMMARY PROPOSAL BUDGET Cumulative

ORGANIZATION JOHNS HOPKINS UNIVERSITY				FOR NSF USE ONLY		
				PROPOSAL NO.	DURATION (months)	
PRINCIPAL INVESTIGATOR / PROJECT DIRECTOR Jonathan A Bagger				AWARD NO.	Proposed	Granted
					NSF Funded Person-months	
A. SENIOR PERSONNEL: PI/PI, Co-PI's, Faculty and Other Senior Associates (List each separately with title, A.7. show number in brackets)				CAL	ACAD	SUMR
1. Jonathan A Bagger				0.00	0.00	0.00
2. Ulrich J Baur				0.00	0.00	0.00
3. R. Sekhar Chivukula				0.00	0.00	0.00
4. Paul G Langacker				0.00	0.00	0.00
5. Lynne H Orr				0.00	0.00	0.00
6. () OTHERS (LIST INDIVIDUALLY ON BUDGET JUSTIFICATION PAGE)				0.00	0.00	0.00
7. (5) TOTAL SENIOR PERSONNEL (1 - 6)				0.00	0.00	0.00
B. OTHER PERSONNEL (SHOW NUMBERS IN BRACKETS)						
1. (0) POST DOCTORAL ASSOCIATES				0.00	0.00	0.00
2. (0) OTHER PROFESSIONALS (TECHNICIAN, PROGRAMMER, ETC.)				0.00	0.00	0.00
3. (0) GRADUATE STUDENTS						0
4. (0) UNDERGRADUATE STUDENTS						0
5. (0) SECRETARIAL - CLERICAL (IF CHARGED DIRECTLY)						0
6. (0) OTHER						0
TOTAL SALARIES AND WAGES (A + B)						0
C. FRINGE BENEFITS (IF CHARGED AS DIRECT COSTS)						0
TOTAL SALARIES, WAGES AND FRINGE BENEFITS (A + B + C)						0
D. EQUIPMENT (LIST ITEM AND DOLLAR AMOUNT FOR EACH ITEM EXCEEDING \$5,000.)						
TOTAL EQUIPMENT						0
E. TRAVEL 1. DOMESTIC (INCL. CANADA, MEXICO AND U.S. POSSESSIONS)						26,250
2. FOREIGN						0
F. PARTICIPANT SUPPORT COSTS						
1. STIPENDS \$ _____ 0						
2. TRAVEL _____ 0						
3. SUBSISTENCE _____ 0						
4. OTHER _____ 0						
TOTAL NUMBER OF PARTICIPANTS (0) TOTAL PARTICIPANT COSTS						0
G. OTHER DIRECT COSTS						
1. MATERIALS AND SUPPLIES						2,000
2. PUBLICATION COSTS/DOCUMENTATION/DISSEMINATION						12,500
3. CONSULTANT SERVICES						0
4. COMPUTER SERVICES						0
5. SUBAWARDS						4,200,000
6. OTHER						125,000
TOTAL OTHER DIRECT COSTS						4,339,500
H. TOTAL DIRECT COSTS (A THROUGH G)						4,365,750
I. INDIRECT COSTS (F&A)(SPECIFY RATE AND BASE)						
TOTAL INDIRECT COSTS (F&A)						0
J. TOTAL DIRECT AND INDIRECT COSTS (H + I)						4,365,750
K. RESIDUAL FUNDS (IF FOR FURTHER SUPPORT OF CURRENT PROJECTS SEE GPG II.C.6.j.)						0
L. AMOUNT OF THIS REQUEST (J) OR (J MINUS K)						\$ 4,365,750 \$
M. COST SHARING PROPOSED LEVEL \$ 0				AGREED LEVEL IF DIFFERENT \$		
PI/PI NAME Jonathan A Bagger				FOR NSF USE ONLY		
ORG. REP. NAME* Nancy kerner				INDIRECT COST RATE VERIFICATION		
		Date Checked	Date Of Rate Sheet	Initials - ORG		

C *ELECTRONIC SIGNATURES REQUIRED FOR REVISED BUDGET

BUDGET JUSTIFICATION/EXPLANATION PAGE - FIRST YEAR

- E.1. The seven members of the Fellowship Selection Committee are to meet once each year in person to select the postdoctoral and graduate student Fellows. The funds listed here (\$5,250) are to cover the expenses for this trip, estimated at \$750 per person.
- G.1. \$400 for printing and mailing posters to announce LHC Fellowships
- G.2. \$2,500 to place advertisements for LHC Fellowships in *Physics Today*, *CERN Courier*, and other printed and online publications
- G.5. \$840,000 for four postdoctoral LHC Fellowships (each at \$150,000) and six graduate student LHC Fellowships (each at \$40,000)
- G.6. JHU has agreed to waive its standard F&A charges in lieu of a flat administrative fee of \$25,000 per year.

BUDGET JUSTIFICATION/EXPLANATION PAGE - SECOND YEAR

- E.1. The seven members of the Fellowship Selection Committee are to meet once each year in person to select the postdoctoral and graduate student Fellows. The funds listed here (\$5,250) are to cover the expenses for this trip, estimated at \$750 per person.
- G.1. \$400 for printing and mailing posters to announce LHC Fellowships
- G.2. \$2,500 to place advertisements for LHC Fellowships in *Physics Today*, *CERN Courier*, and other printed and online publications
- G.5. \$840,000 for four postdoctoral LHC Fellowships (each at \$150,000) and six graduate student LHC Fellowships (each at \$40,000)
- G.6. JHU has agreed to waive its standard F&A charges in lieu of a flat administrative fee of \$25,000 per year.

BUDGET JUSTIFICATION/EXPLANATION PAGE - THIRD YEAR

- E.1. The seven members of the Fellowship Selection Committee are to meet once each year in person to select the postdoctoral and graduate student Fellows. The funds listed here (\$5,250) are to cover the expenses for this trip, estimated at \$750 per person.
- G.1. \$400 for printing and mailing posters to announce LHC Fellowships
- G.2. \$2,500 to place advertisements for LHC Fellowships in *Physics Today*, *CERN Courier*, and other printed and online publications
- G.5. \$840,000 for four postdoctoral LHC Fellowships (each at \$150,000) and six graduate student LHC Fellowships (each at \$40,000)

G.6. JHU has agreed to waive its standard F&A charges in lieu of a flat administrative fee of \$25,000 per year.

BUDGET JUSTIFICATION/EXPLANATION PAGE - FOURTH YEAR

E.1. The seven members of the Fellowship Selection Committee are to meet once each year in person to select the postdoctoral and graduate student Fellows. The funds listed here (\$5,250) are to cover the expenses for this trip, estimated at \$750 per person.

G.1. \$400 for printing and mailing posters to announce LHC Fellowships

G.2. \$2,500 to place advertisements for LHC Fellowships in *Physics Today*, *CERN Courier*, and other printed and online publications

G.5. \$840,000 for four postdoctoral LHC Fellowships (each at \$150,000) and six graduate student LHC Fellowships (each at \$40,000)

G.6. JHU has agreed to waive its standard F&A charges in lieu of a flat administrative fee of \$25,000 per year.

BUDGET JUSTIFICATION/EXPLANATION PAGE - FIFTH YEAR

E.1. The seven members of the Fellowship Selection Committee are to meet once each year in person to select the postdoctoral and graduate student Fellows. The funds listed here (\$5,250) are to cover the expenses for this trip, estimated at \$750 per person.

G.1. \$400 for printing and mailing posters to announce LHC Fellowships

G.2. \$2,500 to place advertisements for LHC Fellowships in *Physics Today*, *CERN Courier*, and other printed and online publications

G.5. \$840,000 for four postdoctoral LHC Fellowships (each at \$150,000) and six graduate student LHC Fellowships (each at \$40,000)

G.6. JHU has agreed to waive its standard F&A charges in lieu of a flat administrative fee of \$25,000 per year.

SUPPLEMENTARY DOCS

The LHC Fellowship program has been endorsed by a variety of US institutions, including the US ATLAS and US CMS management. A representative sample of letters is attached.

Columbia University *in the City of New York*

*Prof. P. Michael Tuts
Mail Code 5214
Physics Department
538 W 120th St
New York, NY 10027
tel. (212) 854-3263
FAX (212) 854-3379
tuts@nevis.columbia.edu*

Prof. U Baur
239 Fronczak Hall
Department of Physics
SUNY Buffalo
Buffalo, NY 14260-1500

October 19, 2005

Dear Prof. Baur,

I am writing this letter in enthusiastic support of the LHC Theory Initiative. As the Research Program Manager for U.S. ATLAS I am keenly aware that we must fully exploit the unique LHC physics opportunities that lie ahead of us. Experiment and theory must work hand in hand to fully realize those opportunities. The U.S. has made a large investment in the ATLAS and CMS experiments and the LHC accelerator, and it is important to make appropriate investments on the theory side.

The LHC Theory Initiative is an excellent opportunity to do just that. In late 2007 we will have the experimental tools to probe the energy frontier at 14 TeV with luminosities that will ultimately reach $10^{34} \text{ cm}^{-2}\text{s}^{-1}$. We anticipate exploring, at the TeV scale, the source of electroweak symmetry breaking, be it related to the Standard Model Higgs, to Supersymmetry, to the possible existence of additional spacetime dimensions, or to other sources of new physics beyond the SM. Just as we experimentalists must carefully calibrate our detector and understand instrumental backgrounds, our theoretical colleagues must help us to understand the physics backgrounds and signal signatures. Some of the signals will be difficult to observe and a more complete understanding of the background will be critical to fully exploit the physics program. The LHC Theory Initiative lays out a sensible prioritized program of work that is closely coupled with the anticipated data taking program at LHC. The proposed mechanism of prestigious fellowships is one that will likely have an impact beyond the specific individuals that will be supported – it draws attention to the remarkable discoveries that await us over the next decade and the exciting program of work that needs theoretical attention; I suspect this initiative will be a catalyst to attract additional theoretical focus on these important topics.

This initiative will help to assure a world class U.S. program in collider physics and will be an invaluable complement to the existing LHC experimental program. I strongly endorse this initiative.

Sincerely



Michael Tuts
Professor of Physics
US ATLAS Research Program Manager

October 11, 2005

Professor Ulrich Baur
The Department of Physics
University at Buffalo
State University of New York
Buffalo, N.Y.

To: Whom it may concern

Re: Support of the LHC Theory Initiative

The Large Hadron Collider (LHC) experiments will soon start operation at a greatly expanded energy and luminosity frontier. The energy will be a factor of seven higher and the event rate a factor of one hundred larger than our currently operating hadron colliders. In turn, this implies the probability of new discoveries and the certainty of a flood of new data obtained at the new energy frontier.

Because the LHC experiments will be prepared to perform data analyses opening up new discoveries, the theoretical preparation for the new data should proceed apace. The new physics to be mined at the LHC occurs in rather rare processes; about one in ten billion proton-proton reactions may be of fundamental interest.

Therefore, the much larger background reactions must be predicted and understood theoretically to an exquisite precision. The new physics is expected to truly be a needle in a haystack, and we must understand the haystack very, very well. In addition, the signals themselves are complex and possess non-trivial topologies. Hence, the experiments will need precise predictions of the defining characteristics of the signal processes.

Indeed, the signatures for the new processes must have robust predictions so that the nature of the discoveries can be carefully unraveled. For example, supersymmetry (SUSY) can possess rather intricate cascade decays which appear in the detectors. The ability to reconstruct and interpret these decays depends both on the detector properties and the correct theoretical guidance within the context of specific models.

The LHC experiments need to be armed with the best and most predictive tools. The basic inelastic interactions are important in that each logged reaction contains, in addition, about

twenty of these reactions as background at design luminosity. Therefore, the trigger strategy and reconstruction algorithms are both dependent on the details of these interactions.

There are large QCD backgrounds in multi-jet reactions which are required for background estimates. Basically, at the LHC the experiments will study vector boson – vector boson scattering. Thus, backgrounds to those scatters, from top-anti-top pairs or weakly produced vector boson pairs, must be accurately predicted.

Finally, the signals must be well modeled. Those predictions must be run through the specific detector simulations, trigger strategies, and reconstruction algorithms so as to fully understand the signals which are found at the experiments. In any discovery, new questions arise. What are the masses, couplings and quantum numbers of any new state which is found? Here, theoretical guidance is crucial.

Obviously, the proposed program of work will be of great importance to the full realization of the potential of the LHC experiments. The US has invested 531 M\$ in the detectors. Therefore, a modest investment by the US to further understand the products of these detectors seems very appropriate. Clearly, there will be a close collaboration between experimenters and theorists as all strive to understand the discoveries that will be made at the LHC. The proposed program of fellowships will help to ensure that the US realizes the major investment it has made in the LHC physics program. I recommend this proposal to you most strongly.

Sincerely,

Dan Green
US CMS Program Manager



Department of Physics
Alan T. Dorsey
Professor and Chairman
chair@phys.ufl.edu

P.O. Box 118440
Gainesville, Florida 32611-8440
(352) 392-0521
Fax (352) 392-0524

October 20, 2005

Professor J. Bagger
Department of Physics and Astronomy
The Johns Hopkins University
Baltimore, MD

Dear Professor Bagger:

The High Energy Theory Group at the University of Florida strongly supports the creation of Postdoctoral and Graduate Fellowships, as outlined in the "LHC Initiative" white paper. These new positions, devoted to data analysis at the LHC, are much needed and long overdue. Our department's high energy groups (theory and experiment) play a significant role in the CMS detector, with several theorists who are intimately concerned with the analysis of the signatures of new physics at LHC energies.

In response to their strong endorsement of the proposals in the White Paper, I have sought and obtained approval from our "Division of Sponsored Research", which determines overhead and benefit rates, to agree to limit the administrative costs on the postdoc fellowships to \$10K/year, and on the graduate fellowships to \$5K/year, as outlined in the White Paper.

We look forward to our participation in this important initiative.

Sincerely,

A handwritten signature in black ink that reads "Alan T. Dorsey". The signature is written in a cursive style with a horizontal line under the name.

Alan T. Dorsey
Professor and Chair

HARVARD UNIVERSITY

THE PHYSICS LABORATORIES
17 OXFORD STREET
CAMBRIDGE, MA 02138

HOWARD GEORGI
EMAIL: georgi@physics.harvard.edu
TEL: 617-496-8293

Oct. 23, 2005

Prof. Sekhar Chivukula
Prof. Jonathan Bagger

Dear Sekhar and Jon,

Sorry it has taken me so long to respond. I haven't had a minute. Of course the LHC Theory Initiative is a wonderful idea. At Harvard, Nima Arkani-Hamed and Liantao Wang have been working hard here to organize the youngsters to learn useful things, and this would certainly help.

Sincerely,

A handwritten signature in black ink, appearing to be 'H. Georgi', written in a cursive style.

Howard Georgi
Mallinckrodt Professor of Physics
The Physics Laboratories
Harvard University
Cambridge, MA 02138 USA



Fermi National Accelerator Laboratory
Theoretical Physics Department
P.O. Box 500, MS 106
Batavia, Illinois 60510
Tel. 630-840-4372
Fax 630-840-5435

October 19, 2005

Professors Jon Bagger,
Sekhar Chivukula, Lynne Orr,
and Ulrich Baur
LHC-Theory Initiative Steering Committee

Dear Colleagues:

On behalf of the Fermilab Theoretical Physics Department I wish to strongly endorse the LHC Theory Initiative. It is clear that the LHC will be the main thrust of our field by the end of this decade, and well into the next. We expect revolutionary discoveries from this machine, ranging from the possibility of the establishment of supersymmetry as a basic physical principle, to bosonic extra dimensions and/or new dynamical phenomena. The success of the LHC experimental program will determine the long-range future of our entire field, including the viability of the aspiration for the next U.S. led effort, the ILC.

The challenge to successfully conduct the LHC physics program in a timely and effective manner is daunting. The event structures will be ferocious. The detailed behavior of new phenomena could prove enigmatic. The application of QCD to this energy scale with a full understanding of all elements of a given physical process is an almost overwhelming theoretical problem.

The U.S. must contribute to this program in an energetic and fundamental way if it is to be a success. The LHC-TI represents a very important effort, coming from and focused largely within the university community. The LHC-TI concept of Fellowships, that are patterned after the successful SSC Fellows program, is an excellent way to encourage young people and to stimulate the development of the research base needed for the U.S. LHC program. When I first heard of this initiative I realized that we must all work together to ensure the kind of success of this program that we all want to see.

Fermilab, and especially the Theory Group, can provide a unique environment to further enhance the LHC-TI effort. We are primarily a phenomenologically oriented theory group, with special expertise in perturbative QCD and Beyond-the-Standard-Model physics, as well as neutrino and flavor physics. Our own initiatives, in conjunction with the Fermilab LHC Physics Analysis Center (LPC), are beginning to take shape. This includes the Theory Group sponsored Academic Lectures, the Joint Fermilab-CERN Summer School, and the general LHC focused theoretical activities. We have a significant overlap with much of the U.S. experimental community, and will continue to staff our group with people having expertise relevant to the energy frontier research program.

We can help in many ways, to host and to nurture the LHC-TI as we are doing for the LPC. We can support LHC-TI Fellows as well as our own post-Docs, and our Frontier Fellows program allows senior researchers to take time away from teaching to come to an active research center. We can focus our Summer Visitors Program on the LHC in conjunction with the Fermilab-CERN Summer School. In addition, we look forward to an expanded Latin Visitors Program, and guest lecturers from the general community in conjunction with our Frontier fellows Program.

I look forward to considerable conjoining of these various efforts in the future. I hope that the LHC Theory Initiative can become a maximal success, and enhance the success of the LHC program and the long term future of accelerator based elementary particle physics.

Sincerely,

Christopher T. Hill
Head, Theoretical Physics Department
(hill@fnal.gov)



October 18, 2005

ToWhom It May Concern:

This is a letter in enthusiastic support of the proposal to the US funding agencies, with the title: "The LHC Theory Initiative." Let me start by saying that this is an excellent proposal, at the right time and addressing a critical need for a successful LHC physics program in the US.

In the Tevatron hadron collider program with Dzero, I learned that to extract meaningful physics from such a program requires both experimental and theoretical physicists. To simulate the standard and possible new physics signals in detectors, accurate simulations are needed, with correct parton distributions of the proton derived with the best possible perturbative QCD descriptions. This is a critical ingredient to determine acceptances and efficiencies for all processes to be studied. The next stage is to compare standard model measurements at the LHC (jet, W,Z, top, etc production) with accurate theory predictions. Once this has been established one can start looking for new physics signatures. This program requires all kind of physicists: detector experts, analysis experts(provided by experiments) and theorists (not provided automatically) to interpret the results from these complicated experiments. Some time theory will be leading experiment and in other cases experiment will guide theory. We went through this process when we explored the new energy regime of the Tevatron and we need to do it again at the LHC. For the Tevatron the CTEQ collaboration played a critical role and it was successful, because it included theorists and experimentalists. Experimenters were easy to identify. It was harder for young theorists to participate, because of a lack of funding for phenomenology.

This proposal addresses this problem head-on with a support program for theorists/phenomenologist at an early stage of their career, allowing them to work within the LHC program, without other constraints. This is critical, because it is exactly this group that is needed to complement the experimenters. I very much look forward to this intense interaction between LHC data and theory in the near future at Argonne, where we will have the people to do this. I would also enthusiastically welcome a Fellow, described in this proposal, because I am convinced LHC physics output would be greatly enhanced by the presence of the Fellow. This program will also be a key and critical ingredient for a successful US role in the worldwide LHC physics arena. It is a component which is lacking currently in the US, compared to Europe.

If I can be of any further assistance please let me know.

Sincerely

Hendrik Weerts
Professor of Physics &
Director of HEP Division
Argonne National Laboratory



C.N. Yang Institute for Theoretical Physics
State University of New York at Stony Brook
Stony Brook, NY 11794-3840
phone: 631-632-7967
fax: 631-632-7954
email:sterman@insti.physics.sunysb.edu

October 14, 2005

Profs. Ulrich Baur and Lynne Orr
LHC-TI Steering Committee

Dear Uli and Lynne,

I am writing to express my support for the program of postdoctoral and graduate fellowships outlined in the LHC white paper prepared by the LHC-TI Steering Committee. I believe that special thanks are due to you for your untiring initiative in this project.

Such fellowships would strengthen significantly U.S. participation in the theory that supports the Large Hadron Collider. This would lead to a more rapid exploitation of LHC data in the search for physics beyond the standard model, including some of the fundamental contemporary questions of particle physics, many of which have impact as well in cosmology. It would also broaden the set of youthful voices within the U.S. available to interpret and to communicate the excitement of new experimental results to the wider public.

The example of SSC Fellowships of the early nineties, which helped the careers of a large number of then-junior and now prominent phenomenologists, shows that such a program can have a very positive effect. The C.N. Yang Institute for Theoretical Physics at Stony Brook University would be delighted for the opportunity to nominate candidates for graduate and/or postdoctoral LHC Fellowships. The guidelines for indirect costs seem reasonable, and should not present an obstacle at Stony Brook.

Sincerely yours,

A handwritten signature in cursive script that reads "George Sterman".

George Sterman
Director



September 22, 2005

Dear Sir or Madam:

I am writing to strongly support the proposal for an LHC-Theory Initiative.

During the next decade, the energy frontier will reside at the CERN Large Hadron Collider. With its unprecedented energy, this accelerator is certain to produce many experimental results and lead to new insights into the interactions of particles and the forces that govern these interactions.

Understanding the nature and implications of the LHC results will require close connections between theorists and experimentalists. The data will have to be interpreted in terms of a Standard Model interpretation or perhaps a possible discovery of something new. In order to interpret data in terms of the Standard Model, complicated calculations of higher order corrections are required. These calculations take a dedicated, long term effort, which can be provided by the LHC-Theory fellows. There are many calculations of this nature which do not yet exist—we know how to perform the calculations, but there has not been sufficient theoretical manpower devoted to the effort. Similarly, before we can claim discovery of some new phenomena, further complex theoretical calculations are necessary.

In the past, the US theory community has not supported phenomenology efforts adequately. This must change if we are to fully reap the benefits of the LHC data. There is no doubt in my mind that a theory initiative such as the one proposed is crucial for maximizing the physics output of the LHC.

I hope that BNL will be able to participate actively in the LHC-Theory Initiative, perhaps by sponsoring a fellow or one of the meetings of the LHC theory fellows.

Sincerely,

Dr. Sally Dawson
Chair, BNL Physics Department

griff@physics.wm.edu
757-221-3537

October 21, 2005

Prof. Lynne H. Orr
Department of Physics and Astronomy
University of Rochester
Rochester NY 14627-0171

Dear Prof. Orr,

I am writing to strongly support the proposal for theoretical graduate and post-doctoral fellowships for the LHC in the “LHC Theory Initiative: from the Standard Model to New Physics” being prepared for the National Science Foundation. The College of William & Mary, through its theoretical particle physics faculty, is eager to participate in such a fellowship program.

Should the College of William and Mary receive a postdoctoral award or graduate student award, it agrees to accept an administrative fee of \$10,000 for each postdoctoral award and \$5,000 for each graduate student award in lieu of indirect costs.

I understand that each institution involved in this project is being asked to abide by these same terms. Should the overall terms change, our terms would change also.

Sincerely,

Keith Griffioen
Prof. of Physics
Chair, Dept. of Physics



October 17, 2005

Dr. S. Peter Rosen
Mathematical and Physical Sciences (MPS)
The National Science Foundation
4201 Wilson Boulevard
Arlington, VA 22230

Dear Dr. Rosen:

We are writing this letter in enthusiastic support of the *LHC Theory Initiative* proposal being submitted by the members of the LHC-TI Steering Committee.

In 2007, the LHC at CERN will begin operation. It will collide proton beams at an energy of 14 TeV, a factor of 7 beyond the energy scale we have currently explored. It will accumulate a factor of 100 more data than the Fermilab Tevatron, the current energy frontier machine. Using LHC data, we will uncover the origin of the masses of fundamental particles, and search for drastic modifications of nature such as the presence of unseen extra dimensions. The potential of the LHC for increasing our understanding of fundamental physics is unprecedented.

The proposed LHC Theory Initiative addresses a serious need for theoretical input to the experimental program. In order to fully utilize the potential of the LHC, accurate predictions for expected signals and backgrounds are needed. These predictions require very precise calculations of processes in Quantum Chromodynamics, the theory of the strong interactions. Many of these calculations cannot be performed with current computational techniques, and have stimulated the development of new mathematical and algorithmic ideas in quantum field theory. We strongly believe that the activities suggested in this proposal should be pursued, both for their importance to the experimental program and for their own intellectual merit.

Department of Physics
Susan N. Coppersmith, Department Chair, Professor of Physics


Department Office: 2320A Chamberlin Hall 1150 University Avenue
Telephone: (608) 263-3279 e-mail: snc@physics.wisc.edu

Madison, Wisconsin 53706-1390
Fax: (608) 262-3077


We are especially excited about the possibility of UW-Madison hosting graduate and postdoctoral Fellows sponsored by the LHC Theory Initiative. UW-Madison has a strong tradition in connecting particle physics theory with experiment. We are the home of the Phenomenology Institute, the first institute founded in the United States devoted to the theoretical explanation of phenomena in high energy experiments. Our experimental group is a leader in both the ATLAS and CMS experiments at the LHC, and works in close collaboration with the phenomenology group.

We strongly endorse the LHC Theory Initiative proposal, and look forward to UW-Madison's participation in this program.


Sincerely,



Sue Coppersmith, Chair
Professor of Physics



Vernon Barger
Vilas Research Professor



Tao Han
H. I. Romnes Faculty Fellow



Frank Petriello
Assistant Professor of Physics

Department of Physics
Susan N. Coppersmith, Department Chair, Professor of Physics

Department Office: 2320A Chamberlin Hall 1150 University Avenue
Telephone: (608) 263-3279 e-mail: snc@physics.wisc.edu

Madison, Wisconsin 53706-1390
Fax: (608) 262-3077



Department of Physics
145 Physical Sciences
Stillwater, Oklahoma 74078-3072
405-744-5796
Fax 405-744-6811

October 7, 2005

Dr. Ulrich Bauer
Department of Physics
239 Fronczak Hall
State University of New York at Buffalo
Buffalo, NY 14260-1500

Dear Dr. Bauer:

I am in strong support of the LHC Theory Initiative and its request for funding from NSF for nationwide postdoctoral and graduate student fellowships. At Oklahoma State University, we have a small but strong theoretical high energy physics program. Our high energy theory group consists of two outstanding professors, one postdoctoral research fellow and eight graduate students, and is involved in many aspects of LHC physics research. Several of these students are being supported by teaching assistants, which is a strain on Departmental resources. In addition, teaching assistantship is scarce in the summer, and it is not possible to support HEP theory students during the summer. The possibility of postdoctoral and graduate fellowships will be of tremendous assistance for both our high energy physics program and the Department.

OSU Physics Department will be very happy to host postdoctoral fellows, and/or graduate student fellows supported through this initiative. Enhancing our research program through such graduate student fellowships and postdoctoral fellowships is one of the goals in our Department's strategic plan, and will match very well with our long term vision.

Sincerely,

A handwritten signature in black ink that reads "James P. Wicksted". The signature is written in a cursive style with a large initial 'J'.

Dr. James P. Wicksted, Professor and Head
Department of Physics

Yale University

*Physics Department
P.O. Box 208120
New Haven, Connecticut 06520-8120*

*Campus address:
217 Prospect Street
Telephone: 203 432-3600
Fax: 203 432-6175, 3824
www.yale.edu/physics*

Monday, October 24, 2005

Profs. Sekhar Chivukula and Jon Bagger

Dear Sekhar and Jon,

Thank you for taking the time to describe the LHC theory initiative to me. I agree strongly with you and your colleagues that it is important to increase the support of LHC related theory in the U.S as we approach the beginning of the LHC era.

The postdoctoral and graduate fellowship program described in this proposal would be an excellent step in this direction. One can already see a shift toward physics more directly relevant to the LHC on the part of some faculty members in university groups, creating an opportunity for the education and training of a new generation of young physicists. The support of graduate students and postdocs is becoming increasingly difficult in theory groups, and this fellowship program would directly address this pressing need. At the same time, it would stimulate more interest in the LHC on the part of current faculty members and help to insure a vibrant theoretical community in the future.

I strongly endorse your proposal and I hope very much that the National Science foundation will be able to support it.

Sincerely,

Thomas Appelquist



MARJORIE D. SHAPIRO
CHAIR

DEPARTMENT OF PHYSICS
BERKELEY, CALIFORNIA 94720-7300

October 24, 2005

National Science Foundation
Washington DC

To Whom It May Concern:

I would like to express my strong support for the proposal for the NSF to fund an LHC Fellowship program for theorists interesting in phenomenological issues related to the LHC. As an experimentalist working in the LHC program (I am a member of the ATLAS collaboration), I understand how many difficult theoretical issues remain and how few US theorists are currently working in this area. The Fellowship program could have a major impact on the US contributions to understanding and interpreting the experimental data that will become available in the next decade.

The model presented in this proposal is quite similar to that of the SSC Fellowships awarded by the Texas National Research Council. I served as a member of the selection committee for the SSC Fellowships and can attest to the high quality of the applicants. Given the fact that the LHC will be turning on in 2007, I expect even stronger applicants for the proposed LHC Fellowships. These applicants are likely to cover a broad range of theoretical work from precision measurements of Standard Model processes through the elucidation of Beyond the Standard Model phenomena.

I believe the organization suggested in the proposal is an excellent one. By limiting the Fellowships to at most one postdoc and one student per institution, by including two annual meetings for all recipients and by providing adequate research support (including funds that can be used for travel to conferences), this organization insures that the recipients of the Fellowships will significant scientific exposure and, I hope, a broad impact on the LHC program. Because the administrative costs for the grant would be exceptionally low, the proposal allows a large number of postdocs and students to benefit.

The LHC era will be an exciting one of particle physics, with the potential to profoundly change our world view. The US has made significant contributions to the experimental program at the LHC. This proposal would insure that the US theoretical community has the resources to contribute successfully to LHC physics and to reap the rewards of the experimental community's work. I urge you to approve this proposal expeditiously and to fund it at the requested level.

Sincerely,

A handwritten signature in black ink that reads "Marjorie Shapiro".

Marjorie Shapiro
Chair, Physics